

## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
9 January 2003 (09.01.2003)

PCT

(10) International Publication Number  
**WO 03/003235 A1**

(51) International Patent Classification<sup>7</sup>: **G06F 15/16**

(21) International Application Number: PCT/US02/20443

(22) International Filing Date: 26 June 2002 (26.06.2002)

(25) Filing Language: English

(26) Publication Language: English

## (30) Priority Data:

60/301,681	27 June 2001 (27.06.2001)	US
60/303,115	3 July 2001 (03.07.2001)	US
60/312,450	14 August 2001 (14.08.2001)	US
60/343,159	26 October 2001 (26.10.2001)	US

(71) Applicant (for all designated States except US): **AME-DIA, INC.** [US/US]; c/o John P. Mikkelsen, P.O. Box 229, Santa Monica, CA 90406 (US).

## (71) Applicants and


(72) Inventors: **MIKKELSEN, John, P.** [US/US]; 212 S.E. Second Street, Ste. 321, Minneapolis, MN 55414 (US).  
**FREIDSON, Robert, I.** [RU/RU]; 25 Kamennoostrovsky Ave., Apt. 61, Saint Petersburg 197101 (RU).

(74) Agents: **CISLO, Daniel, M.** et al.; Cislo & Thomas LLP, Suite 900, 233 Wilshire Boulevard, Santa Monica, CA 90401-1211 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

[Continued on next page]

(54) Title: IMPROVED MEDIA DELIVERY PLATFORM



(57) Abstract: An improved method for delivery and playback of sound and image files is provided. This new method includes the use of sound and/or image clips, which can be snippets or full files, as alerts for a variety of electronic devices or for playing on a handheld device, and for use as a promotion to sell items associated with the files. A collection or library or uniquely selected and/or edited clips may also be provided to the consumer in a manner far more conveniently than previously available. Algorithms are provided for the delivery, storage and playback of the sound files, including a delivery method algorithm (500), a parametric optimization and compression algorithm (1500), and an error correction algorithm. In contrast to the conventional ring tones or musical chimes used to ring cellular phones currently on the market, the current invention provides a method for ringing cellular phones and landline telephones with real sound recordings including real music, which may be songs lifted from copyright registered CD tracks, and may comprise human voice, various instrument sounds, and other sound effects of a high quality. A software based system for encoding the hardware of existing cellular phones at the time of manufacturing with delivery, storage, and playback capabilities in accordance with the present invention is provided, such that additional hardware is not required.

WO 03/003235 A1



(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- with international search report
- with amended claims

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## **IMPROVED MEDIA DELIVERY PLATFORM**

### **CROSS-REFERENCES TO RELATED APPLICATIONS**

This is a continuation application claiming priority from U.S. Provisional Application Serial No. 60/301,681  
5 filed on June 27, 2001, U.S. Provisional Application Serial No. 60/303,115 filed on July 3, 2001, U.S. Provisional  
Application Serial No. 60/312,450 filed on August 14, 2001, and U.S. Provisional Application Serial No. 60/343,159  
filed October 26, 2001, all of which applications are incorporated herein by this reference thereto.

### **TECHNICAL FIELD**

10 This invention relates to a method of delivery and play back of sound and image files for wireless and non-  
wireless electronic devices.

### **BACKGROUND ART**

The general concept for delivery of sound recordings or clips and visual recordings or clips by way of the  
15 Internet is known and described in various U.S. patent applications. (See Bernard et al., U.S. Patent No. 5,918,213;  
Kaplan, U. S. Patent No. 5,963,916; Barbara, U.S. Patent No. 5,926,789; and Doerr et al., U. S. Patent No.  
5,949,411.) Such methods are typically used to sell products to consumers. For example, a web page from Amazon.com  
allows a user to listen to samples of music for before purchasing compact discs (CD's) by mail.

Also, cell phones may be programmed to ring with a tune of a song or musical composition, and have become  
20 increasingly popular. However, cellular phones currently on the market can only be either programmed to only play  
music (such as conventional MP3 type phones) or to deliver "ring tones" with an electronic chime or ring tone rather  
than an actual recorded song, human voice, or musical composition. Additionally, these ring tones must be factory  
installed in the telephone or the delivery methods just directly interface with the Internet and require the consumer to be  
on line to access and download a particular mechanical ring tone.

25 At the same time, various methods have been developed and are being used to enable a phone user to make more  
effective use of the variety of telephone service now available. For example, "caller ID" function is one such feature  
which allows the recipient of an incoming call to identify the caller based on textual information provided on a  
telephone display panel. A patent to Borland, U. S. Patent No. 6,178,230 discloses an improved telephone system and  
method that determines the identity of the person being called for a telephone having more than one user and can  
30 identify the person being called by sounding a distinctive ring associated with the person being called. A mechanical  
ring tone is played depending upon the caller ID signal received to orally alert the telephone user as to who is calling  
without reading the telephone's display panel.

### **DISCLOSURE OF INVENTION**

35 The present invention provides an improved method for delivery and play back of sound and image files which  
include songs, musical compositions, and other sound recordings cartoons, movies, television shows, or any other type  
of performance, which may be copyright registered, as well as non copyright registered personal recordings (e.g.,  
personal sound recordings, family photos, home movies, etc.). This new method includes the use of sound and/or image

clips, which can be snippets or full files, as alerts for a variety of electronic devices or for playing on a handheld device. A collection or library of uniquely selected and/or edited clips may also be provided to the consumer in a manner far more conveniently on conventional telephone equipment than previously available.

5 The method provides the consumer with a unique way of accessing and browsing through selectable files which may be Internet based or independent of the Internet. Additionally, the unique delivery method provides a seller or service provider with a convenient and more efficient way of promoting and selling entire sound and image files which include downloadable music, movies, films, shows, and items such as records, cassette tapes, CDs, videos, and DVDs.

Algorithms are provided for the delivery, storage and playback of the sound files, including a delivery method algorithm, a parametric optimization and compression algorithm, and an error correction algorithm.

10 According to one embodiment, sound files are accessed by a cellular or landline telephone for allowing the consumer to browse, download, hear and/or purchase sound files or use sound files including sound clips as ringer sounds. In contrast to the conventional ring tones or musical chimes used to ring cellular phones currently on the market, the current invention provides a method for ringing cellular phones (both analogue and digital) and landline telephones with real sound recordings including real music, which may be songs lifted from copyright registered CD  
15 tracks, and may comprise human voice, various instrument sounds, and other sound effects of a high quality. Instead of simply tones being played the higher fidelity musical composition can be played by the telephone or other handset with a degree of fidelity previously unavailable using conventional methods. The high degree of fidelity is achieved using data compression, error correction and parametric optimization algorithms adaptable to conventional telephones and other handheld devices.

20 A software based system for encoding the hardware of existing cellular phones at the time of manufacturing with delivery, storage, and playback capabilities in accordance with the present invention is provided, such that additional hardware is not required. (Only a suitable speaker need be required with most telephones already possessing the necessary quality of speaker.) The ability to provide this technology without the need for extra hardware is very significant, particularly to the cellular phone industry, as it is especially desirable to make cellular phones as lightweight  
25 and as small as possible and at the lowest cost.

An accessory attachment to standard telephones can however be incorporated to implement the delivery, storage, and playback capabilities of the present invention to existing landline and cellular telephones which have not been encoded at the time of their manufacture, if necessary. Such accessory attachments are compatible with existing telephones, and may be sold separately. Also, a micro chip may be embedded in landline telephones for providing the  
30 telephone with browsing, delivery, storage, and playback capabilities of the present invention.

The accessory attachment or telephone encoded with software and/or including hardware for providing delivery, storage, and playback capabilities as described herein, may be manufactured with embedded sound files including sound clips, such that a user can immediately play back the files, including use the files as ringer sounds, without having to first download any files.

35 Additionally, upon hearing a sound clip on the telephone, a user may choose to download the entire unedited sound file for a fee or purchase an item associated with the sound clip (e.g., record, cassette tape, CD, video, or DVD) by pressing a designated button on the accessory attachment or keys on the telephone keypad. As such, sound clips which have been downloaded to, or preprogrammed on a cell phone, may encourage and stimulate the sale of downloadable files and/or items associated with the clips by allowing the user to make an impulsive purchase  
40 immediately upon hearing the clips.

The accessing of sound and/or image files by other electronic devices, such as home phones, computers, pagers, doorbells, alarms, palm pilots, watches, clocks, PDAs etc., for either allowing the consumer to browse, download, hear, view, and/or purchase sound recordings, image files, or associated items, or to use sound and/or image clips as alerts is also part of the invention and not limited to solely telephones. New electronic devices, whose independent purpose is to allow the user to browse, receive, store and play sound and image files, including clips, according to the present invention are also described.

A security feature may be included on such electronic devices adapted for allowing a consumer to access and use sound and image files according to the present invention. This feature is designed to prevent intellectual property abuse by consumers' unauthorized dissemination and reproduction of copyright protected material. The downloaded chips or recordings are coded and cannot be downloadable or transferred to units other than the consumers' preselected layer or telephone.

Also, a tracking feature for keeping a record of every song downloaded and/or each time a song is played can be incorporated for providing performing rights organizations or songwriters' organizations with an accurate method for determining royalty payments to writers and performers of music.

Additionally, a website suitable for viewing and selecting downloading sound and/or image clips or entire files may be used for giving the consumer and music or image seller a unique way of transacting the sale of such files or other associated items such as records, cassette tapes, CD's, videos, or DVD's. The website may allow the clips to be stored on a user's computer, providing the user the ability to readily access the clips for downloading the clips to an electronic device, using the clips as computer alerts, or playing the clips on the computer. The user may also purchase files or items associated with the clips through the computer and/or website.

The system of the present invention may also allow the consumer to browse through hundreds or thousands of sound and/or image clips and/or files for the purpose of downloading to electronic devices with an option to purchase an associated record, cassette tape, CD, video or DVD, or download the full unclipped sound and/or image file.

Furthermore, the delivery of files including clips is not limited to web based applications. Unlike conventional methods which require computer plug-in devices for delivering and transferring digital music, the current invention may use a delivery method which allows the user to browse, download, and listen to or watch sound or image files without the need for hand wired plug-in devices or a computer connection to the Internet.

## **BRIEF DESCRIPTION OF DRAWINGS**

FIG. 1 is a general schematic diagram illustrating the basic components of a wireless transmission system for a landline or cellular telephone.

FIG. 2 is a schematic diagram of a wireless transmission system for a cellular phone.

FIG. 3 is a schematic diagram of a board system implemented in an accessory unit of the system of FIG. 2.

FIG. 4 is a schematic diagram of a server software system for the system of FIG. 2.

FIG. 5 is a flow chart illustrating a data transmission method.

FIGS. 6 A-D illustrate the electrical schematics of a mobile telephone accessory unit in accordance with the present invention.

FIG. 7 illustrates an image of a printed circuit board for the accessory unit of FIGS. 6 A-D.

FIG. 8 is an exploded side view illustrating the assembly of a cellular phone accessory unit and cellular phone attachment to the accessory unit.

FIG. 9 is a perspective view of the cellular phone accessory unit and cellular phone of FIG. 8, showing the cellular phone attached to the back of the phone connector and mounting of the accessory unit.

FIG. 10 is a perspective view of the accessory unit of FIG. 9, detached from the telephone.

FIG. 11 is a picture of the accessory unit of FIG. 9, disassembled from the mounting.

FIG. 12 is a schematic diagram of a landline transmission system for a home telephone.

FIG. 13 is a schematic diagram of a board system implemented in an accessory unit of a home telephone utilizing the system of FIG. 12.

FIG. 14 is a schematic diagram of server software for the system of FIG. 12.

FIG. 15 is a flow chart for an audio data parametric optimization and compression algorithm.

FIG. 16 is a schematic diagram of a protocol for a data transmission method with error correction delivery for a digital cellular telephone, illustrating individual packet acknowledgement for a full-duplex channel case.

FIG. 17 is a schematic diagram of a protocol for a data transmission method with error correction delivery for a digital cellular telephone, illustrating single acknowledgement for all packets for a half-duplex channel case.

FIG. 18 is a schematic diagram for a media file monitoring system.

## **MODE(S) FOR CARRYING OUT THE INVENTION**

The detailed description set forth below in connection with the appended drawings is intended as a description of presently-preferred embodiments of the invention and is not intended to represent the only forms in which the present invention may be constructed and/or utilized. The description sets forth the functions and the sequence of steps for constructing and operating the invention in connection with the illustrated embodiments. However, it is to be understood that the same or equivalent functions and sequences may be accomplished by different embodiments that are also intended to be encompassed within the spirit and scope of the invention.

The present invention uses a unique method for delivery, storage, and play back of sound and image files which include songs, musical compositions, or other sound recordings, cartoons, movies, television shows, or any other type of performance, as well as personal clips (e.g., personal sound recordings, family photos, home movies, etc.). This method includes the use of sound and or image clips as alerts for a variety of electronic equipment, and provides the consumer with a unique way of accessing these files which may be Internet based or independent of the Internet.

The present invention may include a number of modules for an overall system of delivery of music and audio/visual files. These modules include a server of the files accessible by way of a specialized website for viewing, selecting, sampling and downloading selected files or portions thereof or directly accessible without going through a website. A telephone, be it conventional, cell phone or other hand held device with access to a communication network can access the server either directly or through the website. Special algorithms allow the transfer of the files to the handset providing the high gravity recording in a file format which allows for tracking and security against unauthorized reproduction. The individual elements of the invention are unique as well as the overall system of delivery tracking and security. Described below are more detail aspects of the invention and its use.

### **Use of Sound and/or Image Clips as Alerts for Electronic Devices**

According to one embodiment the system allows for sound and/or image clips which are snippets of a musical and/or visual performance piece to be used for sound and/or image alerts in electronic devices. A library or collection of uniquely edited clips may be provided to the consumer for browsing and selecting files to be stored on the electronic device. The consumer may also use home made personal clips (e.g. personal sound recordings, family photos, home

movies, etc.).

The sound and/or image clips may be lifted from CD's, movies, TV shows, and the like, and are actual recordings, which may include human voice, instrument sound, and other sound effects, rather than mere electronic chimes or tones as those produced by conventional cellular phones. Electronic devices which may utilize sound and/or image clips as alerts include, but are not limited to cellular phones, land line phones, computers, clocks, watches, pagers, door bells, car alarms, palm pilots, and personal calendars. It should be understood that although using clips for alerts is preferable, full unedited files may also be used.

According to one embodiment, real music sound clips are used to "ring" a cellular or home phone. A clip or series of clips, which the user can select, are played instead of the conventional electronic chime or ring tone. Such a system may be implemented on conventional cellular phones, which may be analogue or digital, by downloading firmware comprising algorithms for delivery, storage, and playback of the sound files, to the RAM element of the phone. Such algorithms include a delivery method algorithm, a parametric optimization and compression algorithm, and an error correction algorithm. Alternatively, an accessory unit that attaches to the cellular phone for implementing the system of the present invention may be provided.

According to another embodiment, sound and/or image clips are used for computer alerts such as e-mail notification sounds. Clips may also be used to ring a doorbell. Sound clips may further be used by a clock or watch to sound at the beginning of each hour, similar to a grandfather clock, wherein a different sound clip may be played at each hour.

The present invention allows the user to store hundreds of different alert clips on a device. Unlike conventional electronic equipment which hold a limited number of selectable alerts, such as a conventional car alarm or music player alarm clock, the present invention allows the user to choose from an unlimited number of clip files including allowing the user to create his own alert clips or to choose from a library of uniquely selected and/or edited files, including samples taken from CD's, movies, television shows and the like.

A cellular phone, or similar device (having a processor, RAM, and flash elements) may be integrated with software at the time of manufacturing for implementing the system of the present invention. Alternatively, a chip may be embedded into the device or an accessory unit, including a speaker, which attached to the device for implementing the system of the present invention may be provided. The accessory unit may have an adapter connection to the device. Such accessory unit may be sold with several adapter outlets to enable it to fit onto a variety of different electronic devices.

Sound and/or image clips may be pre-stored on the electronic device or accessory unit at the time of manufacturing, such that the consumer may be able to use the clips for alerts, without first having to select and download clips.

A user of an electronic device, according to the present invention, may download and store a number of clips off of a website via a plug-in connection of the device to the computer, or via a wireless network system such as the Apple® Airport. Additionally, a non-Internet based holding system, which may be especially adapted for delivering clips to the electronic device or accessory unit may also be provided. Such holding system may be accessed via a phone dial in connection wherein a user may interact with the holding system by using the phone keypads or voice commands.

Other controls for interacting with the holding system, such as control buttons, voice commands or text keypads, may be provided on the accessory unit or the electronic device itself which may be especially adapted for interacting with such holding system. The accessory unit or electronic device itself may also be sold preprogrammed with embedded

clips for demonstration use.

Additionally, such electronic devices may be capable of receiving or sending clips directly from one device to another device. To prevent transferring of entire files from one device to another, a security feature may be included on the devices and work in conjunction with the file.

5 One method of preventing the transferring of files is to encode each electronic device or accessory unit with unique scrambling/unscrambling wave capabilities. As such, when a user transfers an entire file to his device, say a cellular phone, for which he pays a fee, a scrambling wave, which may be a function of his unique telephone number, may be encrypted in the file. Upon playing the file, the user's cellular phone sends the corresponding unscrambling opposite wave. Other devices purchased by the same user may also include the unique scrambling/unscrambling wave  
10 encryption capabilities associated with the user's telephone number. As such, the files may only be played with clarity on the device or devices owned by the user, even if such files are transferred to other devices.

The security lock mechanism allows the original music or its representative to control distribution of music, and also provides an opportunity for music distributors to keep track of who plays their music. As such, a method of accounting for royalty payments to artists and performers and other parties registered with performing rights  
15 organizations such as ASCAP and BMI may include providing a tracking feature on electronic devices used by businesses such as bars, restaurants, and clubs to play music. In addition to allowing a record to be kept as to which music files have been downloaded and stored on the electronic device, the tracking feature may also record information on how many times and when each song has been played. This allows performing rights or music writers organizations the ability to keep an accurate record on which to base royalty payment distributions.

20 An electronic device having stored sound or image clips may include various features which allow the user to preprogram the clips to play in a set sequence or a random order. (For example, certain clips which may be from the same or different songs may play in a congruous or back-to-back order with a fixed silence time between the clips.) Additionally, the device may have features allowing the user to classify and arrange the clips based on categories such as the type of clip (i.e., movie, song, etc.), artist name, time period, etc.

25 Thus, a user of an electronic device utilizing the clips according to the present invention will be able to arrange the clips either through a website from which the clips can be downloaded onto the device, or through the device itself.

Additionally, after listening to or viewing a clip, the user can choose to download the entire file from where the clip originated (i.e. the entire movie, song, etc.). The server providing the clips and the files may provide the clips for free or for a small fee as inducement for the consumer to ultimately download the entire file for which a greater fee may  
30 be charged.

An electronic device according to the present invention may also have the ability to receive clips which are directly transmitted onto the electronic device via audio or visual broadcasts. The user of an electronic device may program the device to sound a specified broadcast as an alert sound. For example, a sound segment from a live radio show (i.e., a sports show or a commercial) may be used to ring a cellular phone by either the caller or the callee.

35 Advertisements may also be transmitted through the electronic devices according to the present invention. A message such as "pick up the phone and don't forget to drink Coca Cola™" may be used to alert of an incoming call. Such transmitted advertising messages need not necessarily function as alerts.

Additionally, this invention contemplates the use of image and sound clips which can be combined such that the user can create a unique clip of both sound and image for use in electronic devices having display screens. For  
40 example, a phone having an appropriate display screen can be preprogrammed to display a visual clip of a caller



accompanied by sound, or a computer alert may display an image clip with sound. An image clip may comprise a single image frame or a picture clip as well as an animation.

**Website to be used as a Support Tool for Downloading Clips to Electronic Devices and Method for Selling**

According to a preferred embodiment, a website for downloading sound and/or image clips holds a library of clips, each clip having a specific identifying code or icon which may include, for example, the title of a musical composition or movie from where the clip originated, the name of the artist, a code number, or other type of identification depending on the type of clip. For example, a song clip may be listed as barrywhite@lovestuff.wav, or may display the picture of the song artist or CD cover of the CD on which the song appears, along with the name of the song. The list may be organized according to the artist's name, by music classification (i.e., pop, jazz, R&B, hip hop, etc.), by length of the sound clip, by the type of sound clip (i.e., song, piano music, guitar music, loud, quiet, etc.), or any combination of these categories or other conventional categories depending on the type of clip (image or sound). The website may also include categories of longer clips which may be more suitable for phone rings, and shorter clips which may be more suitable for computer alerts. The website may further contain a suggested list of weekly or daily favorite clip picks, which may be provided for each category or subcategory. Additionally, items or subcategories in a given category may be organized alphabetically, by year of copyright, or any other conventional order.

Tables 1 and 2 are examples of possible arrangements for sound clips using music classification and artist name. Note that the listings of Table 1 such as barrywhite@lovestuff.wav are not websites, but use symbols associated with web use, such symbols being one of the many arbitrary ways of listing the clips. The symbol-driven website-like listings may end with other non-domain suffixes such as ".pop", ".song", etc. Additionally, this invention contemplates the use of website hyperlinks associated with each listing as shown below in Tables 1 and 2.

R&B	Jazz	Rock
Barry White	Herb Alpert	Chicago
Barrywhite@lovestuff	herbalpert@sunspots.pop	Chicago@feelings.wav
Barrywhite@deepvox	herbalpert@datingame.pop	Chicago@time.wav

Table 1

R&B	Jazz	Rock
Barry White	Herb Alpert	Chicago
BW-01 A-Sexy	HA-01 A-Date	C-01 A-Begin
BW-02 A-Love	HA-02 A-Bull	C-02 A-Search
BW-03 A-Peace	HA-03 A-101	C-03 A-Color

Table 2

The clips may also have an identifying number associated with each clip. Such identifying numbers may be used in downloading the clips to an electronic device using a telephone (described below) or other device having a number keypad. The website may further include a virtual personal locker or storage area for storing a selection of clips personal to a user which can be accessed on the website by a unique user identification name or code. As such, a user can store clips for later purchasing, downloading to the user's cellular phone, playing, etc. The website may also allow the user to upload personal clips such as family photos, voice recordings, home movies, and the like, to the storage

locker for later downloading to the user's cellular phone or other electronic equipment. The storage locker may include an organizer for storing the clips in alphabetical order, by various categories, or any other order.

The website may allow for direct downloads of the clips from the website to the computer itself or to other electronic devices.

To illustrate how downloading through the website may be carried out, a user operating the computer may drag his/her mouse over the various listed sound or image clips and click on one or more selected clips. Thereafter, a box can appear prompting the user to select the appropriate electronic device onto which the clip or clips are to be downloaded (e.g., the box may say "CELLULAR PHONE DOWNLOAD OR COMPUTER ALERT DOWNLOAD?")

Assuming that the "CELLULAR PHONE DOWNLOAD" button is selected, a prompt for typing in the appropriate cellular phone number will follow. Thereafter, the selected clip or clips may be uploaded to the user's personal locker and made available for downloading to the user's handset.

Other features may also be included, such as an option allowing the user to arrange multiple downloads in a specific order, create a folder for grouping multiple downloads, or a feature incorporated into the phone which causes it to ring a selected clip immediately after it has been downloaded. Additionally, clips, which have been previously downloaded to the phone may be deleted, rearranged, or reclassified with or without using the website. (There are other methods for storing clips on an electronic device such as a cellular phone, some of which are described below, including direct downloading access for phones without the need for web phone access capabilities).

Alternatively, by clicking "COMPUTER ALERT DOWNLOAD," the selected clip will be downloaded to the user's computer, allowing the user to select many different sound and image clips for computer alerts, such as e-mail notification, computer alarm clock, and computer calendar notification.

Additionally, multiple clips may be associated with one type of alert, such that a different clip is played for each alert event. The user will be able to rotate alert clips and preprogram or randomize their order similar to a CD stereo carousel.

The user will also be able to hear or view a selected clip which will play on the website upon the user's command. Browsing capabilities wherein the user can drag his mouse over the sound clips library of selections and hear the clips without having to click or open a file may be included in the website. According to a preferred embodiment, a user simply drags his mouse over various clip samples, which light up or flash and play one at a time. Any time the user places the cursor over a category of music, the first tune in that category plays, and the icon representing that category of music switches to display the name of the artist and title of the song or composition being played. Once the user clicks upon that icon, he can select the next song and hear the song while at the same time seeing the name of the artist and song title. The user can cycle through all the songs within that category using this approach very quickly to not only browse but to also hear the music. If the user does not wish to switch over to another category of music, he simply moves the cursor to another icon and repeats this procedure. To select a particular song the user double clicks on the song, which is then included in a collection of selected songs to be downloaded later.

The website may be used as a shopping forum where consumers can hear or view the clips and click to buy items associated with the clips such as music records, cassette tapes and CD's, DVD's, and movie videos, or download the entire sound or image file to their computer for a fee. By allowing the user to sample and download clips for use as alerts in electronic devices, the website will provide an attractive forum for selling items associated with the sound and image clips, and for allowing the user to download the entire file associated with the clip, for which a fee may be charged.

Additionally, an identifying mini icon such as the song title or recording artist CD icon associated with a clip or with a group of clips may appear on the computer screen at a fixed location and/or at the screen display where the clip plays a computer alert. The icon may include a "buy" button which will allow the user to purchase an item associated with the clip, or download the entire file from which the clip originated by clicking on the button. Such "buy" button may be a hyperlink to a website for transacting the purchase. Where a CD icon is not used, the user may click on the song title to purchase an item associated with the clip. If the clip comes from a song that exists on more than one CD, the customer will see more than one CD cover to choose which CD to buy.

The utility of clips as alerts for electronic equipment will provide consumers with incentive to browse the website and sample the clips. After hearing or viewing the clip, consumers may be induced to purchase items associated with the clips, which they will be able to do instantaneously through the website by the click of their mouse.

The website may further be used as a contest forum. The website may be set up to play mystery clips or short segments of sound recordings which contestants will have to identify in order to win a prize (i.e., by being the first to e-mail or call with the correct answer). Thus, a radio show may set up a game where a short segment of a sound clip is played on the radio or user's phone for contestants to guess and is also available for the listeners who want to hear it again on the website.

The website may include forwarding capabilities, such that a sound or image clip can be forwarded as a greeting to a friend. (The security feature may be used only to prevent transferring of entire files). Consequently, the website will attract customers for the purpose of downloading clips to electronic devices and ultimately purchasing items associated with the clips. Additionally, the user may subscribe to a service such as an existing cell phone service provider for downloading files through their telephone, without having to be online.

The user may also create a clip (e.g. by recording a song or personal clip) and store the clip onto a sound storage element in the electronic device. Additionally, the electronic device can be preprogrammed with clips selected by the manufacturer retailer of the device.

#### **Accessing of Sound and/or Image Files Without Access to Internet**

Sound and/or image files which include clips may be downloaded without use of the Internet by allowing a user to access a library of clips via their cellular phone or home telephone or providing other electronic devices with features which allow automatic access to the library. (Although Internet free accessing will be described with respect to a telephone, it is to be understood that the method describe may be compatible with any electronic device preferably having accessing capabilities similar to a telephone).

The library may be a non-web holding unit that has files with associated codes which match the codes associated with the files on the website, wherein the website serves as a usable guide for identifying various files according to associated codes, such as numerical codes to assist the user in downloading files using voice commands or keypad commands.

Additionally, cellular phone or home telephone users may access a non-web holding unit with a library of stored files which can similarly be browsed, selected, and downloaded onto the phone using user voice commands, key pad commands, or by connection to a live operator. Such unit may be accessed by dialing a phone number (e.g., an 800 number). Home telephones and cellular phones may have separate holding units, such as a satellite for cellular phones and a ground unit for home phones, or a satellite can be used by cellular phones to access a ground holding unit.

To facilitate selection of the files from such holding unit, the access system may provide for a code associated with each file which may be obtained by browsing the website as described above. As such, a user connected to the

holding unit would access the code associated with the file to select and download the file to the user's telephone.

Many other methods allowing a user to select files from the holding unit are possible. For example, the telephone may include a voice recognition feature, wherein the user can say the name or part of the name of the song he wishes to select (e.g., "Strawberry Fields" or the name of the song artist). The phone may also utilize hierarchical submenus whereby the user may press dial keys with letters corresponding to a selection in a given category which ultimately leads to the selection of a particular song. A phone having a screen display for providing a text listing of the names of songs or categories, according to hierarchical submenus, may also be used for enabling the user to narrow down to a list of songs and/or artists from which he can make his final selection.

A telephone may likewise be used to deliver files stored on the phone to a website, an e-mail address, another telephone, or other electronic device. Sound clips, which are segments of whole songs, musical compositions or other sound recordings, will be used mostly with telephones, however, downloading entire music or image files may also be done, subject to the security feature described above. Additional revenues may be generated as the consumer accesses the content library and uses airtime while browsing and downloading clips or entire songs from the library holding unit.

Furthermore, cellular phone and home telephone service providers may offer extra features to phone subscribers which would allow the subscribers to download and store sound files for use with the telephone in accordance with the present invention. Such features by service providers may include a personal sound file storage box (which may be a file of clips and/or entire sound files) that the user can access via a personal code. The user may be charged a monthly fee for a subscription to the service, and/or per downloading of each song, whether or not the user is a subscriber. Additional revenue can be generated by the service provider even if the service is provided without a special charge since consumers will use more airtime.

#### **Telephone Using Sound Clips**

A telephone having stored sound clips which may comprise real music including human voice, various instrument sounds, and other sound effects may allow the user to select one sound clip or a rotation of several clips to "ring" the phone. Although it is preferable to ring the telephone with sound clips, an entire music file may also be used, whereby for example, a song may start playing and continue until the user picks up the telephone. (Of course, entire music files may be played on the telephone solely for the user's listening pleasure). The telephone may also be programmed to ring a conventional chime if the user so chooses. Such a telephone may utilize a storage chip carrying stored sound clips as well as the conventional phone chime programmed onto it.

Additionally, the telephone may allow the user to determine how many times a clip is repeatedly played for each ring, and the time delay between clips in a given ring. The user may also choose to mix different clips in one ring. A telephone may also include a looping feature which rings the telephone in a looped clip such that the clip plays repeatedly without a pause between repetitions of the clip, or a "cluster" feature which rings a "cluster clip" comprising a multiple number of clip segments from a single song, musical composition, or other sound recording played in sequence.

Other features will allow the telephone user to preprogram the telephone to play a certain clip when a specific individual calls, thereby allowing the user to identify the caller based on the chosen sound clip. Each person who regularly calls the user may have a unique identifying ring. This will allow a telephone user to have the option of assigning a unique sound caller ID to each of an unlimited number of callers. Other features may include allowing a caller to select his own personal sound clip to "ring" the telephone of the recipient of the call. (For example, the caller may sing or record a "Happy Birthday" song.) Also, a telephone used by more than one user may utilize sound clips for

a callee ID function wherein the caller identifies the intended callee (e.g., by dialing a digit or sequence of digits) and the telephone plays the clip associated with the callee.

Additionally, a telephone may be provided with a "caller message recorder feature" which allows the caller to record his/her own message to send to the number dialed. For example, the caller may send a message such as "Hey John. It's Mary. Pick up the phone," by pressing a "record ring" button on his/her phone to send such a message to John's phone. As described earlier, the telephone user, say John, may have a caller ID feature such that when a certain caller, say Mary calls, the telephone rings with a predetermined message or sound clip selected by John. The additional caller message recorder feature may cause John's telephone to play Mary's message instead of overlaying the predetermined caller ID message or clip. Additionally, John may record his own message such as "It's Mary" and  
10 associate that recorded message with Mary's phone number for a caller ID ring.

A telephone, according to the present invention, may also include a "sensory feature" for enabling the telephone to sense the level of ambient noise and adjust the loudness of the "ring" accordingly. If the phone "senses" very loud background noise, for example, a cellular phone located in a loud restaurant, the ring volume will increase. A feature for detecting whether a cellular phone is located in a pocket book or a place where the "ring" sound may be muffled is  
15 also contemplated. This feature will also enable the phone to adjust the volume of the "ring" such that the "ring" will be loud enough for the user to hear. Such detection mechanism can be achieved by detecting ambient light and other conditions.

Additionally, the user may manually adjust the volume of the ring via a tunable volume control mechanism or a multiple fixed settings control. (Although the above features are described with respect to a phone, it is to be understood that these features may also be provided with other electronic devices utilizing sound and/or image clips as alerts where  
20 applicable).

#### **Transmission System for Delivery Clips to a Telephone**

FIG. 1 is a schematic diagram illustrating the basic components for a wireless transmission system 100 for a telephone 102, having a wireless or landline service provider.

The system is described in terms of two main components: a storage chip 104, and a server 106. The storage chip 104 is an element associated with the telephone which may be embedded into the phone or into an accessory unit which attaches to the phone, having abilities to interface with the phone. The existing hardware of a cellular phone may also be integrated with a software system which may be downloaded to the RAM element of the cell phone for incorporating the present invention, without the need for extra hardware. As such, the existing hardware of the cellular  
30 phone may be made to perform the same function of the chip.

The purpose of the chip 104 is to store a selection of clips, allow for downloading of clips to be stored on the chip 104, and allow for the playback of clips, either by the telephone or the chip 104. (Although the description herein refers to sound clips, it is to be noted that entire sound files may be stored, downloaded, and played, according to the system described). Additionally, the chip 104 can associate the stored clips with a caller ID so that the particular clip to  
35 be played back is determined by the calling subscriber ID.

The server 106, which is associated with a collection of stored clip files 108, is designed to execute requests of the chip 104, which may be given through user voice commands or commands using the phone keys. The server may be equipped with a voice adapter 110 for supporting the ITU-T V.253 standard and telephone lines attached to the voice adapter. The voice adapter can also support some standard modem protocols, like V.32 or V.34, if required for  
40 compatibility.

The server 106 also allows for files to be transmitted to the chip 104 for storage. The system 100 enables a connection to the server 106 upon a request from the chip 104, utilizing the phone, and/or PSTN (Public Switched Telephone Network), and/or a voice card (voice modem) attached to the server computer.

The system may have a voice menu, which, after connection to the server 106, allows the user to listen to the server's menu and navigate through the system of voice menus using the telephone's Dual Tone Multi Frequency (DTMF) keys. The system may allow the user to select and download clips by allowing the user to listen to the clips presented by the server 106, select a clip, and issue a download command to the server 106. The server then sends the selected clip (e.g. in digital compressed form) using a Custom Data Transmission Protocol (CDTP) over the voice channel. (Illustrated in FIGS. 2 and 12).

The system 100 allows for storage of a large number of clip files in the chip's memory. The system's server 106 utilizes a music compression algorithm, shown in FIG. 15, which converts common music files into compressed files that are downloaded and stored by the chip 106. For example, a chip supporting the storage of about 1000 clips, each being approximately a few minutes in length, may have a flash memory size of about 40 Mbytes. The chip 104 may also have a sound output element such as speakers.

The server comprises software which can run under Windows 98, Windows-NT OS, or other suitable system using a voice modem for communications. Additionally, the system may use a single modem or a pool of several modems.

#### Preferable Embodiments for a Telephone System

Examples of telephone systems utilizing the method of the present invention include a cellular phone which may utilize an analogue (voice-only) system or a digital system, and a conventional land line telephony network. A system for using a cellular network infrastructure is shown in FIG. 2. A schematic diagram of a landline transmission system for a home telephone is shown in FIG. 12. (Again, although the following descriptions make reference to the use of sound clips, it is to be understood that entire sound files may also be used as described).

All described examples assume existence of a server preferably dedicated for servicing user requests and providing sound clip data download capabilities. A corresponding chip, implementing all required functions is associated with the telephone.

The server may be a computer running Microsoft Windows or other suitable environment, such as a Pentium-III PC, Win95/98/NT/2000, 128Mb RAM, 4 GB HDD. The server may store or be capable of accessing a sound clip database, which may be stored on a website or non-web holding unit. The sound clip database is stored in a compressed file format of those commonly known.

A schematic diagram for a server software system is shown in FIG. 4 for a cellular phone system, and FIG. 14 for a landline system. The software may be written in C++ under Microsoft Windows or other suitable language. The functions of the server software include servicing user requests via a user interface element and transmitting a selected sound clip through the phone line via a music clip transmission element.

According to a preferred embodiment, the functions of the user interface element include decoding DTMF keys pressed by the user and playing the voice menu labels to the user. The voice menu interface may include hierarchical submenus, leading to different functions. In all examples, the user interface element can be unified in the sense that the voice interface and DTMF or voice recognition-based interface are independent of the type of network or type of phone(s) used. Implementations that utilize a single server to process requests originating from different types of networks and/or phones can therefore be built.

The system of submenus leads a user to the downloading of the selected sound clip. Thereafter, control is transferred to the music clip transmission element for downloading sound clips into the phone. The music clip transmission element interfaces directly with the phone accessory unit, independent of the user. The music clip transmission element is dependent on the type of the phone used and the network infrastructure.

5 **Example Transmission System for a Cellular Phone and Network**

FIG. 2 is a schematic diagram of a wireless transmission system 200 for a cellular phone 202, which may be either an analogue (voice-only) or digital system. In both cases, a specialized board 203, implementing all required functions, similar to the chip 104, is incorporated in an accessory unit 204 attached to the cellular phone. Although the system 200 is described as incorporating an accessory unit, it should be understood that a chip performing the same  
10 functions of the board may instead be embedded in the phone itself, or a software system may be integrated with the existing hardware chip of a conventional cellular phone without the need for additional hardware. The system 200 further includes a server 206 and software 207 for the server.

The cellular telephone 202 may be any commercially available cellular phone having capabilities for supporting a command set for general telephone control, [i.e., a V.25Ter serial asynchronous automatic dialing and control as  
15 recommended by the ITU-T (International Telecommunication Union-Telecommunication sector)] and for supporting V.25Ter "+C" extensions according to the ETSI (European Telecommunications Standards Institute) ETS-300-916 standard for obtaining codes of keys pressed by the user and for receiving caller ID information. Additionally, the phone 202 should have capabilities for subscribing to a cellular provider 208 with caller ID service support.

A schematic diagram of the board 203 is shown in FIG. 3. In an embodiment where an accessory unit is used the  
20 board 203 is implemented in the accessory unit 204 which can be attached to the phone 202 through a standard extension connector where other commercially available accessories such as a hands free ear set and charging adapter are typically connected.

The board 203 includes the following main blocks: a Digital Signal Processor (DSP) 300, a flash memory element 302, a Random Access Memory (RAM) element 304, an initial bootstrap chip 306, an analogue interface  
25 element 308, and a digital interface element 310.

The processor 300 executes the device firmware, provides control for all other blocks and performs the computational tasks for the board 203. The tasks performed by the processor 300 include control of the board's units, monitoring of keys pressed by the user and processing of key-press events, reception of information from the computer through the computer digital interface, reception of caller ID information through the phone digital interface, reception  
30 of packed sound clips through the phone analogue or digital interface, unpacking and then playing back sound clips through a built-in speaker connected to the analogue interface of the accessory unit 204, support of a voice menu-driven user interface, and performance of other auxiliary functions.

The flash memory element 302 contains the device firmware, and sound clips which can be pre-loaded as well as downloaded from the server. The RAM element 304 enables the processor to run faster and also holds buffers for  
35 unpacked sound fragments and processor service procedures. When the power is turned on, the initial bootstrap chip 306 loads the device.

The analogue interface element 308 includes a phone interface element 312 and a built-in speaker interface element 314. The phone interface element 312 is used for input and output of signals when downloading sound clips from the server 206. The speaker interface element 314, with the speaker, plays all system sounds heard by the user  
40 including voice menus and sound clips.

The digital interface element 310 includes a phone interface element 316 and may include a computer interface element 318. The phone interface element 316 is used for phone control and for receiving key codes and caller ID information from the phone. The computer interface element 318 is used for various service functions such as downloading preprogrammed sound clips from the computer to the flash memory.

5 The functions of the server software, shown in FIG. 4, include servicing a user's requests via a user interface element 402 and transmitting a selected sound clip through the phone line 404 via a music clip transmission element 406.

A user interface element 402 is provided whose functions include decoding DTMF keys pressed by the user and playing the voice menu labels to the user. The voice menu interface may include hierarchical submenus which lead to the downloading of the selected sound clip. Thereafter, control is transferred to the music clip transmission element 406 for downloading sound clips into the phone. The music clip transmission element 406 interfaces directly with the phone accessory unit, independent of the user.

10 The selected sound clip may be transmitted through the phone line to the accessory unit 204 first through the server hard drive 408, then through the server software 207, next through the voice adapter 210, then through the phone line of the network to the cellular service provider 208, to the cellular phone 202, and through the analogue interface 308 of the accessory unit 204, then through the processor 300 of the accessory unit 204, and finally, through the flash memory element 302 of the accessory unit 204. When the sound clip transmission is completed, the task of the music clip transmission element is completed. Thereafter, the phone line 404 is released and control is transferred to the user interface element 402.

20 In an autonomous mode, the board 203 may contain a number of pre-loaded sound clips. Initially, the board 203 is in the inactive state. The board 203 and phone 202 interact such that the phone sends to the board codes of all the keys pressed by the user. Upon receiving a particular sequence of codes or when, for instance, a particular key is pressed for a prolonged period of time, the board 203 switches to the active mode. In the active mode the board 203 may interact with the user via a voice menu-driven interface where voice messages, via a speaker, prompt the user to respond by pressing a selection of phone keys indicating the user's responsive selections. The board 203 reacts to the user's selections by analyzing the keys being pressed.

30 The clips are stored on an internal clip index which can be retrieved from the internal memory and played back according to key commands provided by the user. Examples of voice menu options provided by the device 204 through a speaker upon switching to an active mode include: 1) the user may choose to exit the active mode and enter the passive mode (e.g., by pressing "0"); 2) the user may choose to listen to the current sound clip on the clip index (e.g., by pressing "1"); 3) the user may choose to listen to the next clip on the index (e.g., by pressing "2"); 4) the user may choose to listen to a previous clip on the index (e.g., by pressing "3"); or 5) the user may choose to assign a caller ID number to the current clip on the index (e.g., by pressing "4").

35 Upon choosing to assign a caller ID phone number to the current clip, the device may switch to a sub mode with a sub-menu having the following options: 1) the user may choose to switch back to the previous menu (e.g., by pressing "0"); 2) if the selected clip was already assigned, the user may choose to get information regarding the caller ID already associated with the clip (e.g., by pressing "1"); or 3) the user may input a new caller ID phone number for the current clip (e.g., by pressing "2" indicating this choice, then dialing in the phone number followed by the "#" sign).

40 In the passive mode, the device 204 may analyze messages being received from the telephone 202. Upon receiving an incoming call, the device 204 checks the incoming caller's phone number against the list of assigned caller



ID sound clips in its memory and plays back the particular sound clip through the built-in speaker if the specified caller's phone number was assigned to this clip. Alternatively, the device 204 may play back a default sound if the particular caller ID was not assigned to any clip.

In order to transfer digitally compressed sound clip data through the analogue channel a special method and algorithm to map digits to sounds is used. This method is implemented not only for a cellular telephone using an analogue cellular network but also for a landline transmission system of a home phone, shown in FIG. 12.

#### **Method for Data Transmission Over an Audio Channel of a Wireless Telephone**

A data transmission method 500 for transferring data through the phone line and the receiver, based on a voice mode connection (versus data mode) and DTMF signal interpretation is illustrated in FIG. 5. A similar approach can be implemented for a landline telephone that does not have a data transmission mode.

For transmitting data through the phone line, the transmission method 500 comprises the steps of a) data scrambling 502, b) data mapping 504, c) conversion of frequency symbols to time samples 506, d) addition of cyclic prefix 508, and e) digital to analogue conversion 510. The data is then sent through the receiver, following the reverse steps of f) analogue to digital conversion 512, g) symbol synchronization 514, h) conversion of time samples to frequency symbols 516, i) decoding frequency symbols to bits 518, and j) descrambling the data 520.

The transmission method is used to provide enough speed for the data transmission. The transmission method allows simultaneous use of the voice communication and data transmission features (during one connection session) without having to switch the mode of connection. A customer does not need to use a Wireless Internet Service Provider. A user can simply place a regular call to the specific number (e.g., an "800" number) to gain access to the Server. The dual-mode connection allows for voice and "push button" support as well as voice recognition service.

An orthogonal frequency-division multiplex (OFDM) modulation scheme is used for data transmission. The benefits of OFDM include: 1) the modulation can be made robust to Inter-Symbol Interference (ISI) by increasing symbol size; 2) the modulation can be made robust to impulse noise by increasing symbol size; 3) for each individual sub-channel, the channel's response could be considered essentially flat, minimizing the need for channel equalization; and 4) different encoding schemes could be used for different sub-channels, for accommodating frequency-selective channel distortions.

The total bandwidth to be used by the method is determined by the worst case of supported audio channel. A suitable algorithm for compression of the voice channel is the GSM RPE-LTP algorithm which essentially has a built-in down-sampling by a factor of 3 in which the allowed bandwidth is limited at  $4000/3=1333\text{Hz}$ . Usually channel response is severely limited at frequencies below about 200Hz to 250Hz. No OFDM symbol time-windowing is employed to minimize variations of transmitted signal amplitude envelope.

A compressed voice channel can also introduce significant non-linear distortions. Therefore, it is not feasible to have a large number of sub-channels; otherwise the algorithm would be affected by significant inter-channel interference (ICI) due to loss of orthogonality between sub-channels. About 32 sub-channels appear to provide enough symbol size while maintaining satisfactory low ICI.

#### **Modulation Symbol Structure**

Each OFDM symbol consists of a minimum number of samples sufficient to represent all sub-channels. To increase computation efficiency, a Fast Fourier Transform is employed to convert sub-channel symbols from frequency to time area. Therefore, for 32 sub-channels, OFDM symbol size should be at least 64 real samples (at 2666Hz rate). A circular prefix of 16 samples is used to improve separation between symbols, and minimize ISI (Inter Symbol

Interference) and ICI. Therefore, total symbol size is 80 samples at 2666Hz.

#### **Receiver Synchronization**

Circular extension prefix redundancy, present in the signal, is used to facilitate OFDM symbol synchronization in the receiver. A synchronization subsystem effectively computes auto-correlation coefficients of the received sequence (e.g., at 2666Hz). The output of the correlator goes through a "rectifying" phase-locked loop-like system which outputs synchronization impulses at the proper time instants to sample OFDM symbols correctly.

Synchronization system induced timing jitter leads to rotation of received sub-channel phasors by increments, proportional to the central frequency of a particular sub-channel. This rotation is compensated in the decision scheme.

#### **Data Mapping**

The output of a scrambler is mapped onto complex symbols (amplitude/ phase) of the OFDM sub-channels. Individual sub-channels use QPSK (Quadrature Phase Shift Keying) modulation.

#### **Data Scrambling**

Data scrambling is employed in order to provide statistically random distribution of transmitted symbols to reduce peak-to-average power ratio of OFDM symbols. A self-synchronizing scrambler with generating polynomial of  $1+x^{-18}+x^{-23}$  is used which, at the transmitter, effectively divides the data sequence by the generating polynomial. The coefficients of the quotients, taken in descending order, form the output data sequence.

#### **Example Using analogue Cellular Network and Cellular Telephone**

The above-described accessory unit 204 is provided in this example in the context of analogue (providing only voice channel) cellular network.

Initially, the device 204 is in an inactive mode. A user dials the server number and, navigating through a system of voice menus supported by the server software, listens to and selects a particular sound clip in the same way as browsing the loaded sound clips in the autonomous mode. Instead of assigning a caller ID, the user may choose to download sound clips.

When a user, navigating through the server voice menus, selects to download the current clip and in the embodiment using an accessory unit activates the accessory unit 204 through the predefined key sequence, the process of transmission of the selected sound clip is initiated. After selecting a "download" option, the user may press a specific key combination on the phone to switch the accessory unit 204 from the inactive to the active mode. The unit 204 then begins to interact with the server 206, using the analogue channel provided by the phone and network. The already established phone connection is used to receive information. The device may receive the sound clip selected by the user and download it into internal flash memory.

At the end of a session, the unit 204 forces the telephone 202 to hang up and switches to the autonomous mode which enables the user to assign a new caller ID to the sound clip just received. When a user, navigating through the server voice menus, selects to download a clip and activates the accessory unit 204 through the pre-defined key sequence, the process for transmission of the selected sound clip is initiated.

The selected sound clip is transmitted through the phone line to the accessory unit 204 first through the server hard drive 408, then through the server software 207, next through the voice adapter 210, then through the phone line of the network to the cellular service provider 208, to the cellular phone 202, and through the analogue interface 308 of the accessory unit 204, then through the processor 300 of the accessory unit 204, and finally, through the flash memory element 302 of the accessory unit 204.

Generally, the server software 207 retrieves the selected sound clip from a database 212, converts it to the

special sequence of sounds modulates, transfers codes of these sounds to the voice adapter 210 that converts these codes to actual sounds and transfers these sounds to the phone line 214. From the phone line 214, the sounds go to a cellular provider 208 through to a radio channel, and to the cellular phone 202 itself (much like voice sounds are transferred during a normal phone conversation). The sounds then go through the connector and are received in analogue form by the board 203. The sounds are then converted by the device ADC (Analog to Digital Converter) to the digital form and are processed by the DSP (digital signal processor - "demodulated") 300 to the same digital data form initially stored on the database 212 (e.g., in MPEG audio format). In this form, the sound clip data are written into the flash memory 302 of the device 204.

Following a reverse direction, going from the board 203 to the server 206 using the same chain, the device sends to the server either an "acknowledgement" of a successful delivery of the sound clip data or a list of data blocks received with errors so that these blocks can be resent in a second try. In order to transmit digital data through the analogue channel, a similar procedure is used to convert data to sounds and back.

When all the data is transferred without errors, the board 203 signals to the server 206 that the call may be disconnected. Thereafter, the server 206 instructs the voice adapter 210 to hang up, freeing the phone line for another client, and the board 203 switches to the autonomous mode, allowing the user to assign a caller ID to the sound clip most recently downloaded.

#### Example Using digital Cellular Network and Cellular Telephone

The above-described accessory unit 204 is used in this example in the context of digital (capable of providing a dedicated data transmission channel) cellular network. Since in this case a digital channel is used for sound clip data transmission, no modulation is required on the mobile phone side. The server, on the other hand, uses a modulation protocol compatible with the protocol supported by the cellular network provider. Usually this can be accomplished by using a standard ITU-T-approved modem, like V.32 or V.34.

Initially, the unit 204 is in an inactive mode. A user dials the server number and, navigating through a system of voice menus supported by the server software, listens to and selects a particular sound clip in the same way as browsing the loaded sound clips in the autonomous mode. Instead of assigning a caller ID, the user may choose to download sound clips.

When a user, navigating through the server voice menus, selects to download the current clip and activates the accessory unit 204 through the pre-defined key sequence, the process of transmission of the selected sound clip is initiated. After selecting a "download" option, the user may press a specific key combination on the phone to switch the accessory unit 204 from the inactive to the active mode. The unit 204 then begins to interact with the server 206, using the digital channel provided by the phone and the network. If possible, the already established phone connection is used, or a new connection is established specifically for digital data transmission.

The selected sound clip is transmitted through the phone line to the accessory unit 204 first through the server hard drive 408, then through the server software 207, next through the voice adapter-modem 210, then through the phone line of the network to the cellular service provider 208, to the cellular phone 202, and through the digital interface of the accessory unit 204, then through the processor 300 of the accessory unit 204, and finally, through the flash memory element 302 of the accessory unit 204.

Generally, the server software 207 retrieves the selected sound clip from a database 212, transfers codes of these sounds to the voice adapter-modem that converts these codes to actual sounds, using one of the standard modulation protocols supported by the cellular provider (like ITU-T V.32 or V.34) and transfers these sounds to the phone line 214.

From the phone line 214, the sounds go to a cellular provider 208, where they are demodulated back into digital data and then the data goes to the cellular phone 202, through the radio channel, using the digital channel provided by the cellular network. The data is then received by the processor of the accessory unit, and then written into the flash memory 302 of the device 204.

5        Following a reverse direction, going from the board 203 to the server 206 using the same chain, the device sends the server either an "acknowledgement" of a successful delivery of the sound clip data or a list of data blocks received with errors so that these blocks can be resent in a second try. When all the data is transferred without errors, the board 203 signals to the server 206 that the call may be disconnected. Thereafter, the server 206 instructs the voice adapter-modem to hang up, freeing the phone line for another client, and the board 203 switches to the autonomous mode, 10        allowing the user to assign a caller ID to the sound clip most recently downloaded.

In order to provide a guaranteed and error-free delivery of digitally compressed sound clip data through the data channel provided by the phone and network, a special error detection and correction method is proposed.

#### **A Data Transmission Method with Error Correction Delivery**

A method for data transmission with error correction assumes a sufficiently low probability of error in the 15        channel and implements error correction by re-sending the affected data blocks. The data (i.e. the compressed sound clip) is split into smaller data blocks by the server. Each block is supplied with a special header that, in particular, includes the block number and a cyclic redundancy code word for error detection, computed for the block data and header. Other error detection codes can also be utilized. The data blocks are then sent through the data channel sequentially. Using the redundancy code, the receiver (i.e. the mobile device) checks the correctness of each received 20        block. The size of blocks is selected in such a way that 1) there is a high probability of error-free transmission of a block; and 2) the overhead introduced by additional control information (e.g. header, CRC word) is not high compared to the data payload.

If the block size is selected properly, only a few blocks out of the entire sequence are usually affected by channel errors. These erroneous data blocks are re-sent by the Server upon receiving special requests.

25        Depending on the availability of bi-directional data transfer, one of two protocols can be used. If the phone and network support simultaneous transmission of data in both directions, a protocol that uses simultaneous transmission of data in a server-to-phone direction and acknowledgements in a phone-to-server direction can be utilized. In this case, a special acknowledgement packet is sent for each valid data block received by the device. If a block is received with an error, a negative acknowledgement packet is sent.

30        The sever software, receiving these control packets, either sends the next subsequent data block, until all data blocks are transferred, or resends the block received with error. When all data blocks are transferred, and the positive acknowledgement is received for the last block, the sound clip is considered to be completely delivered. An example of such interaction is shown in FIG. 16 for a protocol with individual packet acknowledgement for full-duplex channel, showing three data blocks 1600, 1602, and 1604 for corresponding data, indicated in the figure as "Data1" "Data2" and 35        "Data3", with corresponding headers "Hdr1", "Hdr2", and "Hdr3". Positive acknowledgements "Ack1" and Ack2" are sent for packets numbers 1 and 2. Packet number 3 is originally received with an error, indicated by "Nack" and is subsequently re-sent to successfully correct the error, whereby a positive acknowledgement "Ack3" is sent.

If the phone or network supports only unidirectional data transmission, the other protocol can be utilized to minimize the number of channel direction alterations. In this case, all data blocks for the sound clip are sent at once by 40        the server, without receiving acknowledgements for the individual packets. Then, a single control packet is transferred

in the opposite (device to server) direction. This control packet contains a bit mask, with one bit for each data block received. Each bit in the bit mask has a "1" value if the corresponding data block was received without errors, or a "0" value if the corresponding block was affected by errors. The server then re-sends those blocks that were received with errors in the first pass. When all data blocks are transferred, and the acknowledgement mask without errors indication is received by the server, the sound clip is considered to be completely delivered. Example of such interaction is shown in FIG. 17, where the packet number 2 is originally received with an error and is successfully re-sent subsequently to correct the error. Note that only two "ACK" packets were sent during the entire procedure.

**Example Using Landline Telephony Network and a Conventional Home Telephone**

FIG. 12 illustrates an example of a landline telephony network system 1200 using a voice channel and a conventional home telephone 1201, according to a preferred embodiment. (Although this system is described with respect to the accessing and delivery of sound clip files, it is to be understood that the system may be used for the accessing and delivery of entire files).

The system 1200 has two main components: a home telephone accessory unit 1202 and a server 1205. The accessory unit 1202 is an autonomous unit, attached to the phone line 1208 and to the phone (between the line and the phone), and powered from the AC power outlet. A chip performing the same function of the accessory unit may instead be embedded in the phone itself. The purpose of the accessory unit 1202 is to support selection, downloading, and playback of sound clips according to the Caller ID of the calling subscriber. The accessory unit 1202 may include a speaker system and enables the phone to ring sound clips or perform other functions as described for the cellular phone 102.

The server 1205, which is associated with stored clip files 1206, which may be stored on a website or a non web holding unit, is designed to execute requests of the accessory unit 1202 either through user voice commands or commands using the phone keys, and allows for files to be transmitted to the accessory unit 1202 for storage. The system 1200 enables a connection to the server upon a request from the accessory unit 1202, utilizing the phone and PSTN (Public Switched Telephone Network), and an adapter 1204 (voice modem) attached to the server computer. The system 1200 may have a voice menu, which, after connection to the server, allows the user to listen to the server's menu and navigate through the system of voice menus using the phone's DTMF keys. The system may allow the user to select and download clips by allowing the user to listen to the clips presented by the server, select a clip, and issue a download command to the server. The server then sends the selected clip (e.g., in digital compressed form) using the Custom Data Transmission Protocol (CDTP) over the voice channel.

The device 1204 may further interface with a home PC 1214 for downloading sound files to the device. The interface may be a plug in connection or may use a wireless network system.

The accessory unit 1204 may be sold as a unit compatible to most home phones including cordless phones, and may connect directly to the phone jack, with the phone connected to the device. Similar to the cellular phone 102, a home phone may include an embedded chip, instead of the accessory unit 1204, for performing functions similar to those of the accessory unit 1204.

The handset of a cordless phone utilizing sound clips according to the present invention may ring simultaneously with the box, wherein the handset may sound a regular phone ring or a sound clip ring, while the box plays a sound clip ring.

The server comprises software shown in FIG. 14, which can run under Windows 98®, Windows-NT OS®, or other suitable system using a voice modem for communications. Additionally, the system may use a single modem or a

pool of several modems.

Initially, the accessory unit **1202** is in an inactive mode. A user dials the server number and, navigating through a system of voice menus supported by the server software, listens to and selects a particular sound clip in the same way as browsing the loaded sound clips in the autonomous mode. Instead of assigning a caller ID, the user may choose to  
5 download sound clips.

When a user, navigating through the server voice menus, selects to download the current clip and activates the accessory unit **1202** through the pre-defined key sequence, the process of transmission of the selected sound clip is initiated. After selecting a "download" option, the user may press a specific key combination on the phone to switch the accessory unit **1202** from the inactive to the active mode. The device **1202** then begins to interact with the server **1205**,  
10 using the analogue channel provided by the telephone and the network. The already established phone connection is used to receive information.

The selected sound clip is transmitted through the telephone line to the accessory unit **1202** first through server **1205**, next through the adapter **1204**, then through the telephone line of the PSTN to and through the analogue interface **1305** of the accessory unit (shown in FIG. 13), then through the processor **1301** of the accessory unit **1202**, and finally,  
15 through the flash memory element **1302** of the accessory unit **1202**.

A schematic diagram of a board **1300** implemented in the accessory unit **1202** is shown in FIG. 13. The board includes the following main blocks: a processor element **1301** [e.g., a Digital Signal Processor (DSP)], a flash memory element **1302**, a Random Access Memory (RAM) element **1303**, a bootstrap chip **1304**, an analogue interface element **1305**, and a digital interface element **1306**.

The processor **1301** executes the device firmware, provides control for all other blocks and performs the computational tasks for the board. The tasks performed by the processor **1301** include: control of the board's units, monitoring of keys pressed by the user and processing of key-press events, reception of information from the computer through the computer digital interface, reception of caller ID information from telephony service provider, reception of sound clips through the phone analogue interface, unpacking and then playing back sound clips through a built-in  
20 speaker connected to the analogue interface of the accessory unit **1202**, support of a voice menu-driven user interface, and performance of other auxiliary functions.

The flash memory element **1302** contains the device firmware, and the sound clips which can be pre-loaded as well as downloaded from the server. The RAM element **1303** enables the processor to run faster and also holds buffers for unpacked sound fragments and processor service procedures. When the power is turned on, the bootstrap chip **1304**  
30 loads the device.

The Analogue Interface element **1305** includes a telephone interface element and a built-in speaker interface element. The telephone interface element is used for input and output of signals when downloading sound clips from the server **1205**. The speaker interface element with the speakers, plays all system sounds heard by the user including voice menus and sound clips.

The digital interface element **1306** may include a computer interface element and other digital interface elements to the home network. The computer interface element may be used for various service functions such as downloading preprogrammed sound clips from the computer to the Flash Memory.

In an autonomous mode, the accessory unit **1202** contains a number of pre-loaded sound clips. Initially, the accessory unit is in the inactive state. The accessory unit **1202** and telephone **1201** interact such that the telephone **1201**  
40 sends to the accessory unit **1202** codes of all the keys pressed by the user. Upon receiving a particular sequence of

codes or when, for instance, a particular key is pressed for a prolonged period of time, the accessory unit 1202 switches to the active mode. In the active mode, the accessory unit 1202 may interact with the user via a voice menu-driven interface where voice messages, via a speaker, prompt the user to respond by pressing a selection of phone keys indicating the user's responsive selections. The accessory unit 1202 reacts to the user's selections by analyzing the keys being pressed.

In the passive mode, the accessory unit 1202 may analyze messages being received from the telephone 1201. Upon receiving an incoming call, the accessory unit 1202 checks the incoming caller's phone number against the list of assigned caller ID sound clips in its memory and plays back the sound clip through the built-in speakers if the specified caller's phone number was assigned to this clip. Alternatively, the accessory unit 1202 may play back a default sound if the particular Caller ID was not assigned to any clip.

A schematic diagram of the server software is shown in FIG. 14. The server software is used for servicing user requests through user interface element 1401, and transmitting the selected sound clip through the phone line via music clip transmission element 1402. The user interface element 1401 decodes DTMF keys pressed by the user, and plays voice menu labels to the user. The voice menu interface includes hierarchical submenus to lead the user to the downloading of the desired sound clip, where control is transferred to the music clip transmission element 1401.

The music clip transmission element 1401 downloads sound clips to the phone, independent of the user interface element, interfacing directly with the phone accessory unit. The music clip transmission element 1402 initially transmits the selected sound clip to the adapter 1404 for data transmission from the server to the accessory unit. When the sound clip transmission is completed, the task of the music clip transmission element is done, and the telephone line is released and control is transferred to the user interface element 1401.

Generally, the server software retrieves the selected sound clip from a server database 1403, which is associated with an audio data optimization and compression element 1405, converts the clip to the special sequence of sounds modulates, and transfers codes of these sounds to the adapter 1404 which converts these codes to actual sounds and transfers these sounds to the phone line 1406. From the phone line 1406, the sounds go through the PSTN and are received in analogue form by the accessory unit 1202. The sounds are then converted by the device ADC (Analog to Digital Converter) to the digital form and are processed by the DSP (digital signal processor) 1301 to the same digital data form initially stored in the server database 1403 (e.g., in MPEG audio format). In this form, the sound clip data are written into the flash memory 1302 of the accessory unit 1202.

Following a reverse direction, going from the accessory unit 1202 to the server 1205 using the same chain, the device sends to the server either an "acknowledgement" of a successful delivery of the sound clip data or a list of data blocks received with errors so that these blocks can be resent in a second try. In order to transmit digital data through the analogue channel, a similar procedure is used to convert data to sounds and back. When all the data is transferred without errors, the accessory unit 1202 signals to the server 1205 that the call may be disconnected. Thereafter, the server 1205 instructs the adapter 1204 to hang up, freeing the phone line for another client, and the accessory unit 1202 switches to the autonomous mode, allowing the user to assign a Caller ID to the sound clip most recently downloaded.

The server audio data optimization and compression element 1205, utilizes a music compression algorithm outlined in FIG. 15, which converts common music files into compressed files in order to reduce the audio clip size for minimizing its download time, while maintaining predetermined audio quality. These files are downloaded and stored by the accessory unit 1202.

#### Preferred Procedure for Audio Data Parametric Optimization and Compression

The method 1500 of compressing the files comprises the steps of a) conversion 1502; b) amplitude normalization 1504; c) sample rate conversion 1506; d) pre-emphasis filtering 1508; e) amplitude normalization 1510; and f) performance of MPEG audio layer 3 (MP3) compression with the selected parameters 1512. The compressed files are then transferred to the server database.

Step 1502 of conversion to mono only needs to be performed if the input file is in stereo and if the audio output subsystem of the target hardware is only capable of playing back mono audio. At this step all available information is included into the output audio by summing of the left and right channels to form a single mono output.

After conversion, or if the file does not need to be converted to mono, compression begins with the step 1504 of amplitude normalization, wherein sample amplitudes in the file are normalized. This step is required for enabling audio utilization of all available dynamic range and for improving the computational accuracy of subsequent steps. In order to maximize preservation of original audio range, a fixed coefficient for the entire audio file normalization is used. The coefficient is obtained using input file analysis to "stretch" the input audio range over the maximum available range.

Step 1506 converts sample rate of audio files to selected sampling frequency. The original audio clips may have various sampling rates (44100Hz, 48000Hz, 22050Hz, 11025Hz, etc.). After analysis of available hardware capabilities an optimal sampling frequency, which provides the most adequate audio quality, is selected. Increasing the sampling frequency above the optimal sampling frequency would not significantly increase the perceptual audio quality, due to the limitations of the audio output subsystem of the accessory unit. For example, for the cellular phone system of FIG. 2, after analysis of available hardware capabilities and a series of perceptual tests, the 22050Hz sampling frequency was selected as providing the most adequate audio quality since the audio output subsystem of the accessory unit has a relatively sharp drop in response for frequencies above 10-12 kHz.

In order to avoid aliasing effects when changing from higher to lower sampling rate, a low-pass pre-filtering with a cutoff slightly lower than the new Nyquist frequency is applied before down sampling. For rates that are not multiples of each other, cascaded sampling rate conversion schemes are constructed to minimize memory consumption and improve performance.

The step 1508 of pre-emphasis filtering, along with the re-sampling of the previous stage, takes into account the specifics of the audio output subsystem of the accessory unit, to achieve improvement of the perceptual audio quality, and to reduce the resulting audio size after compression.

Since the speaker of the audio output subsystem of accessory unit is preferably very small, the resulting sound has very low power in the low frequency range. Therefore, providing output in the low frequency range is likely to be futile, as it would only increase the size of audio file without any perceptual improvements. Additionally, providing output in the low frequency range may create undesirable "overflow" effects for the speaker.

For example, for the cellular phone system of FIG. 2, all frequency content below about 400Hz is removed from the audio. In order to make the audio more "perceptually rich" in the low-frequency range, frequencies around 600Hz are increased by about +6dB. The frequency range from 1200Hz to 8200Hz is kept unchanged. Then, starting from about 8200Hz the signal power is gradually increased, up to +15dB at the highest frequency (11kHz). This compensates for the drop in speaker transfer function at high frequencies and improves the listening experience.

A set of subjective audio perceptual tests with various types of audio contents, using the wide spectrum of hardware of the target platform has proved that the above-described pre-emphasis significantly improves the perceptual quality of resulting audio. At the same time, reducing frequency contents in the "non-significant" frequency regions allows reduction of the resulting compressed audio size, since the data bits are not allocated to non-used frequencies.



The described pre-emphasis procedure is implemented by a filtering with a FIR (Finite Impulse Response) filter, according to the formula:

$$y_k = \sum_{i=0}^{N-1} b_i \cdot x_{k-i}$$

where  $b_i$  are filter coefficients,

$x_k$  is the k-th output audio sample,

$y_k$  is the k-th output audio sample.

The  $b_i$  coefficients are fixed and computed for the particular sampling rate and the desired pre-emphasis response curve. The filter can be designed to have a linear phase response (this is actually guaranteed if the  $b_i$  coefficients are symmetric), which would ensure absence of phase distortions to the audio. Since the delay introduced by the filter is not harmful for off-line processing, the filter size can be made rather large to approximate the desired response curve with a high precision.

After completing the step of pre-emphasis filtering, normalization of the sample amplitude is once again performed. Since the filtering significantly changes the signal, the second amplitude normalization step 1510 is required to convert resulting audio "loudness" to some pre-defined value.

Proceeding to step 1512, the processed audio clip is compressed into an MPEG Layer 3 bit stream. The resulting bit rate (level of compression) can be varied to suit different needs. For instance, it can be made dependent on the source audio clip length, to make the compressed file fit into a pre-defined size. Alternatively, it can be made dependent on the anticipated delivery method (to create, for instance, a "built-in" audio clip of a very good quality, or to make the audio clip of a very small size, for delivery through a slow channel). The compression parameters can also be selected so that the clip delivery time is a constant independent of the actual link transfer rate.

#### **Technical Description of a Preferred Embodiment for a Cellular Phone Accessory Unit**

##### **Electrical Schematics**

FIGS. 6 A-D illustrate the electrical schematics of a mobile phone accessory unit. (The image of the printed circuit board, as rendered by Computer Aid Design Software is shown in FIG. 7). Initial boot-up of the processor is done from the EEPROM (Electrically Erasable Programmable Read Only Memory) using passive serial SPI (Serial Programming Interface) protocol. Thereafter, the boot loader code, read from the EEPROM, loads the main firmware from the Flash memory. The PLL (Phase Locked Loop) of the processor is programmed for 5x multiplication of clock frequency.

Firmware debugging is carried out through the JTAG (Joint Test Action Group) port using standard TI (Texas Instruments) software. External RAM is mapped both to the program and data space at the same addresses and occupies all lower address space (64k). Flash memory (Serial Data Flash) is accessed using software emulation of SPI protocol.

Audio code (Coder-decoder) works at approx. 22kHz sampling rate (both channels). The Mode Control

transistor selects the phone interface mode: either RS-232 control mode (closed state) or "hands free" mode (opened state). The phone itself does not support simultaneous usage of these two modes.

Both channels of RS-232 work at 11,5200 baud rate. From the PC side CTS (Clear to Send) and DTR (Data Terminal Ready) signals are supported. From the phone side CTS and RTS (Request to Send) signals are supported, with inverted polarities. Both channels employ hardware flow control.

The analogue signal level at the phone input is about 100mV RMS (Root Mean Square). The level at the phone output is about 600mV RMS.

#### **Cellular Phone with Accessory Unit**

A cellular phone 900 with an accessory unit 902, according to one embodiment, is shown in FIGS. 8 and 9 using the Ericsson R520 as an example. The accessory unit is housed in thin cover 904 (see FIGS. 10 and 11) providing a mounting body 906 for attaching the phone 900 to the unit, via an interface connector 800. The accessory unit contains the printed circuit board 802 and speaker, preferably along the thin portion of the body.

The accessory unit is attached to the back of the phone using the phone connector 800. A snap mounting which utilizes a dimpled section on the phone case typically intended for a car phone holder may also be used.

The accessory unit includes the server software and two voice modems, attached to the server. The mounting body contains all necessary electronic components.

The tasks of the electronic components include playing back of a pre-loaded sound clip upon a caller ID notification reception and downloading new clips from the server.

The body of the accessory unit preferably comprises a base 804, a thin cover 806, and a molded cover 808. All three body components are preferably made of high-quality aluminum-magnesium-copper alloy (duralumin) and are chemically covered with a protective oxide film using two different dyes (colored and black) for the two copies of the device. A dense rubber casing may also be used. Factors considered in selecting the body material include lightness (so that the accessory unit would not exceed the phone itself in weight), mechanical strength, and the quality of electromagnetic shielding properties for protecting the internal components from the waves radiated by the phone.

According to one embodiment, the accessory unit that embodies the delivery system for a cellular phone attachment is about 1.5" x 1.5" x .25" and includes a small high fidelity built-in speaker. The accessory unit may connect into the AC adapter fixture in the bottom of a cellular phone. A dense rubber casing or glove may house the device to protect it. The inside of the rubber glove may have a molded cavity that the device will fit into. The glove may have a circle of small holes which line up with the device's speaker to allow full sound penetration. The device and glove may be sold in different design variations both for marketing purposes and for fitting the different cellular phones on the market.

Additionally, the accessory unit may connect into a cable connector instead of an AC adapter jack so that different jacks can be used. The device may also be modified with four or five variations to fit the various cellular phone software systems, (not AC adapter variations) currently on the market. The device, including a speaker, may also be made with several different adapter applications that would attach to a variety of different phones.

A snap-on mount for fastening the accessory unit to the phone may be located in the base body. The main purpose of the thin cover is to provide the electromagnetic shielding. The molded cover 808 contains connectors and some other components.

A simple snap mechanism for attaching the accessory unit to the phone, similar to the installation of a cellular phone to a car phone holder, may be provided.

FIG. 20 shows the accessory unit by itself, detached from the phone. The accessory unit can be detached from the phone similar to the detachment of other accessories such as the phone charger (usually by applying a rotating force rather than pulling straight out).

FIG. 21 shows the accessory unit uncovered. It is preferable to leave the body of the accessory unit closed. Preferably, there are no glued, soldered, or other permanent junctions inside, however, the high precision in the manufacture of some components could lead to their degradation after repeated assembly and disassembly.

The accessory-to-phone mounting is preferably designed to withstand repeated attachment and detachment without degradation of the snap-on mounting or connector. Although the phone body is also durable, it is preferable to attach and detach the accessory by shifting the snap-on lock upward manually during the attachment procedure (like during detachment) to reduce wear of phone body near the latch.

The PCB (printed circuit board), located inside the accessory unit, is a multi-layer board which may have 0.2mm gaps, two solder mask layers, and a silkscreen layer. The board preferably carries all the components, as illustrated in the schematics, excluding connectors and the speaker. Two outer layers of the board are signal layers; two internal layers are ground and 3.3V power plane. For convenience of the PCB assembly on modern plants, most packages are surface-mounted but not BGA. The board preferably does not contain any components requiring rare or custom-made equipment for their assembly.

The phone connector is preferably selected to maximize the firmness of the attachment, taking into account significant dimensions of the accessory unit. It should be mentioned that the connectors are unique to the type of the phone used (Ericsson R520 and compatible, like R320 and T28, in this example).

Factors in selection of the speaker for music playback included sound quality, which is primarily related to the speaker size, compactness, and weight of the speaker, as it is desirable that the speaker not be thicker and heavier than the phone itself. Depending on the available technology, there may be some tradeoff between good speaker quality and having a lightweight speaker. Speakers used in professional radio receivers-scanners may be a reasonable compromise since such speakers provide better than usual sound quality while possessing reasonable dimensions and weight. Other options include either sacrificing weight and dimensions to increase sound quality or using the new so-called "ceramic" speakers that are now appearing on the market. Mention should be made that although using these speakers could provide better quality, special modifications to the device would be required since these speakers could not be directly substituted in place of the standard ones.

It should also be noted that the bandwidth of the acoustic channel of the cellular phone which, in turn, is nonlinearly compressed and transmitted over a digital channel of the phone, is much less than the bandwidth of the conventional landline phone and can deliver about 150 bytes per seconds data transfer rate. Conventional landline phone could deliver about 3700 bytes per seconds (V.34). Using better speakers in the phone would entail loading sound fragments of better quality (and, therefore, of bigger size), which would increase the time necessary to download a melody. The problem could be solved by using the GSM digital data channel directly which would provide a rate of about 1000 bytes per second for existing cellular networks and more than 7000 bytes per second for newly deployed systems. Alternative solutions include: having to tolerate an increase in the sound file or sound clip download time, downloading a melody from a local computer (the melody being delivered to the local computer by some alternate means), and redesigning the system to support conventional (landline) phones. In the latter case, due to the significant increase in the device body size, it may make more sense to use a stereo-effect (which is reasonable when the speakers of left and right channels have enough spatial separation).

**Server Software Description**

The server described herein performs the following functions: 1) startup, detection of the modem, detection of the melodies available; 2) answering incoming calls; and 3) servicing requests of user via DTMF codes.

Upon startup, the application requests the user to select which device to work with. Possible options include  
5 local test mode (0), modem on COM1 port (1), and modem on COM2 port (2).

If the local test mode is selected, all sounds will be played back using the sound card of the local computer and the computer keyboard will be used to control the server (via numeric buttons instead of DTMF keyboard). This mode is primarily for system testing purposes.

If one of the modems is selected, all sounds will be played back into the phone line using the selected modem,  
10 and the calling party's phone keyboard (DTMF tones) will be used to control the server. This is the normal mode of server operation.

The answering of incoming calls is performed differently in the local and the normal modes. In the local mode, the application waits for the 'R' key to be pressed to simulate remote party RING, while in the normal mode, the application waits for the RING signal from the modem. Then, in either mode, the application initializes the device used  
15 (sound card or modem). In the latter case, the modem goes "off-hook" and plays back the greeting message and the main menu (e.g., 0 - End of the session, 1-Current, 3 - Next, 4 - Load).

Thereafter, the application goes into calling party servicing loop. Exit from the loop is possible upon reception of DTMF code '0' (or its simulation using the keyboard) or after the 30-seconds timeout if no reaction is detected from the remote user. Additionally, if working with the modem, the loop is exited when short beeps ("BUSY") condition is  
20 detected on the phone line. In the local mode, the 'X' key also leads to the immediate exit of the application.

The calling party servicing algorithm may work as follows: the software keeps the internal counter or number of the current sound clip. Initially, this number is "0" indicating that the clip is at the top of the list. Upon receiving the "1" command, the software plays back the clip with the current number. Upon receiving the "2" command, the software increases the number and plays back the melody, i.e., plays the next melody. Upon receiving the "3" command, the  
25 software decreases the number and plays back the melody, i.e., plays the previous melody. Upon receiving the "4" command, the melody download is simulated. For the obvious reason, this mode is not implemented yet. Upon receiving the "0" command, the application switches the modem "on-hook" releasing the phone line and returns to the incoming call waiting state. Upon encountering any other command, the application plays back a standard error message. At any moment, the server application can be aborted by pressing <Ctrl>C combination on the keyboard.

The server application keeps a log file (e.g., named "ProgramName\_N.Log") where N is a port number.  
30 Therefore, if two instances of the application are started, one for the modem on COM1 and the other for the modem on COM2, two independent log files will be created. The log file contains brief information about user and server actions, times of events, their main features, for example, state of the modem or the sound card. These files are intended to be sent to the software developers in case of problems but can be used for other purposes as well, for example, to estimate  
35 the server load.

Due to the fact that the server application always plays a melody with the same quality as one would be able to hear through the conventional phone channel [monophonic, 8kHz-sampling rate (signal bandwidth up to 3.7kHz)], the sound quality of the played back clips may be low. This is not related in any way with the quality of sound that would be digitally transferred to the client's phone when the melody is selected since listening to the clips from server through  
40 the phone network could not deliver better quality than the phone channel itself. For this reason, sound files

compressed in monophonic versus stereo form would be preferred since the rate of delivery would be faster, with no loss in playback quality from the phone. At the same time, when the clips are downloaded into the phone in digital form, significantly better quality could be delivered upon playback due to the perceptual compression; however, this would increase the transfer time.

5 The server software could also be implemented to track which clips were sent to which user or subscriber. This information could then be tracked and reported to different third parties such as the Copyright Office, or performing or artists rights organizations or societies.

#### Devices for Accessing Sound and Image Files

Electronic devices adapted to receive sound and image data, according to the present invention, may be provided with an attachment or built in mechanism for providing consumers with Internet based or Internet free access to a library of downloadable sound and/or image files. Consumers may be allowed to download free clips of a song, musical composition, or other sound recording or movie or other performance onto any of these devices for use as alerts.

After hearing or viewing a clip, the user, preferably by the push of a button, may transact a purchase of the full file associated with the clip, which may be downloaded to the device in its entirety, or delivered to the user's address on an independent medium such as records, cassette tapes, CDs, videotapes, and DVDs. Such practice is intended to encourage the sales of sound and image files by giving the user the opportunity to quickly make an impulse purchase.

A device for downloading and listening to music files, which is similar to a walkman type I-pod™ device, but uses the same delivery method as described for the cellular phone comprises a speaker and/or an earphone set for listening to music with volume controls (such as Bose or Shure E5 universal earphones), and a server access element (which may be approximately the size of a credit card). Such a device may be used as a hand held portable music player, as well as a car radio or home system, and may include larger speakers for use as an audio system by businesses such as bars, restaurants and clubs.

In addition to features which allow a user to access the server library, the device may include other features common to conventional MP3 players and/or Apple I-Pod™ devices. The server access element includes controls, which may be buttons, for accessing, browsing, and downloading files from the server to the device. Speed dial technology may be used for accessing the server. For browsing, a multi-task arrows button which allows the user to browse, listen to samples, and highlight specific selections may be provided.

The server access element may include a small LCD monitor (approximately 1" x 1.75") for text browsing the server library. A small microphone hole may also be included for allowing the user to browse the library using voice commands. The earphone set or speaker will enable the user listen to downloaded sound files.

Downloaded files may be stored on a device storage list for accessing at all times, or deleted. Thus, the user may access a library containing a large number of sound files, and browse, download, and listen to music, without the Internet or the need to plug into a computer. The consumer may be charged a fee for each download, or may be able to purchase actual items, for delivery to an address indicated by the user, such as records, cassette tapes and CD's through the access element. Free clips which the user can download may induce the consumer into purchasing the entire sound file from where the clip originated.

The device may also include a mechanism for allowing a user to store downloaded files on a medium, such as a card, independent of the device. To this end, the device may provide a slot into which a storage card may be inserted, such that when the device is full, files may be downloaded onto the card for emptying space on the device. A security mechanism may also be included to prevent intellectual property abuse, for example, by preventing users from playing

copied files on other devices as described above. Such devices may further include a monitoring feature, which would allow performing rights organizations such as ASCAP and BMI to keep track of music publicly played by business such as bars, restaurants, and clubs for the purpose of paying out royalties.

A schematic diagram for a media file monitoring system 1800, according to a preferred embodiment, is shown in FIG. 18, for use with an I-Pod™ type listening device 1802, wherein a consumer may purchase copyright registered media files which are downloaded wirelessly to the device 1802. The system 1800 includes an existing wireless network 1804 of 1.5G or more, a system monitoring server 1806, and a system content server 1808. The monitoring server 1806 monitors and counts every file delivered to the consumer device 1802, for monitoring and counting every file delivered to the device 1802. The server 1806 may track each individually titled file which may include information such as song title and artist name, purchase price, the consumer's name, and other identity information, time of delivery, and any other pertinent information. The server 1806 may also protect encrypted copyrighted files from illegal file copying. The content server 1808 stores copyrighted digital media content licensed from multiple entertainment companies. Thereafter, monitoring information, including statistics may be transmitted (e.g. through the Internet) to a company or organization. The system described may also apply to a viewer device for monitoring image files.

A portable laptop type viewer device, for accessing and viewing image and/or sound files, may comprise a wireless earphone set and/or speaker for listening to programs with volume controls, and a Personal Digital Assistant (PDA) with a monitor which may be approximately the size of a laptop computer. This device allows the user to access a server library containing a large number of movies, TV shows, cartoons, and other files, using either text or voice activation, without the need to plug into a computer or use of the Internet or other computer based wireless telecommunication system.

The files may be categorized and subcategorized by type of file (i.e. movies, TV shows) then by title or name of main actors. TV shows may further be classified by providing a description for each episode, similar to a description provided in a TV Guide™. Other categories and subcategories of classification may be provided to allow the user to identify the exact file he wishes to access.

The device allows the user to browse, download, preview, store and view his selections, (using text, voice, or button commands), wherein a fee may be charged by the provider for any or all of these options. The files may be made available as clips as well as in their entirety. The viewer device may include a folder containing previously downloaded image files that can be accessed at any time and deleted when desired. The library may be organized by categories such as type of show (i.e. movies, TV sitcoms), names of actors, show titles, sitcom description (e.g. as appearing in TV Guide™) etc.

#### **Method of Advertising using Delivery of Sound Clips**

The method of delivering sound and image files, in accordance with the present invention, can further be utilized as an advertising tool. To this end, any of the above-described systems carrying the library of sound and/or image files, which include a website and non-Internet accessible holding unit, may be used to expose the user to sponsored advertising messages. For example, a user calling the holding unit may hear advertising while the system is accessing the library.

Other advertising opportunities may be provided by utilizing a phone or other electronic device using alerts according to the present invention. For example, the phone may ring with advertising gimmicks such as promotional messages. Such advertisement gimmicks may be played as default rings when no clip is selected for the ring.

Additionally, a phone may be programmed to play, or transmit advertisements spontaneously. Clips containing advertising messages such as jingles may also be provided. Advertising messages may be tacked onto a user selected clip of a popular song or the like.

#### Method of Distributing Music and Audiovisual Works to Consumers

5 A method of distributing music and audiovisual works to consumers while accounting to copyright owners of the works comprises: (a) Making available on a website various selections of works in various categories for review by identifying information and offering a portion of the work for hearing or listening, each work being coded internally with identification to a copyright owner or its representative; (b) Allowing consumers to select the viewable or listenable portion of the work for data storage online or for downloading to the consumers' electronic devices at home  
10 wherein the downloaded file being encrypted to only play on the consumer's electronic devices first receiving the download; (c) Optionally tracking those consumers who received the download of the portion of the work and reporting to the copyright owners or their representatives information concerning the download; (d) Allowing a consumer to return to the website to purchase and download a complete copy of the copyrighted work previously sampled by the consumer; (e) Conducting an online purchasing transaction and charging the consumer for the  
15 download; (f) Downloading a complete copy of the copyrighted work to the consumer in an encrypted fashion so as to be playable only in the consumer's electronic device and not exchangeable with third parties; (g) Tracking those consumers who received the download of the copyrighted work and reporting to the copyright owner of their representatives information concerning the download; and (h) Paying the copyright owners or their representatives a portion of the money received from the consumers for their downloading of the copyrighted work.

20 The delivery system, according to the present invention will also integrate with future wireless technology, such as 3-G systems, as it becomes available, for offering enhanced capabilities for accessing, delivering, and using sound and image files.

While the present invention has been described with reference to a preferred embodiment or to particular embodiments, it will be understood that various changes and additional variations may be made and equivalents may be  
25 substituted for elements thereof without departing from the scope of the invention or the inventive concept thereof. In addition, many modifications may be made to adapt a particular situation or material to the teachings of the invention without departing from the essential scope thereof. Therefore, it is intended that the invention not be limited to particular embodiments disclosed herein for carrying it out, but that the invention includes all embodiments falling within the scope of the appended claims.

30

### INDUSTRIAL APPLICABILITY

It is an object of the present invention to provide a unique method for using sound and image clips as alert sounds for a variety of electronic devices.

It is a further object of the present invention to provide a method for ringing a cellular telephone using actual  
35 sound files including sound clips which may comprise real music with human voice, various instrument sounds and other sound effects.

It is a further object of the present invention to provide a software system which may be integrated into existing cellular telephone hardware for enabling the cellular telephone to access and utilize sound files including clips, without the need for extra hardware.

40 It is a further object of the present invention to provide an accessory attachment for cellular telephones and for

landline telephones which will enable the telephone to access and utilize sound files, including clips.

It is a further object of the present invention to provide a security feature for devices capable of receiving and playing multi-media files for preventing consumer unauthorized dissemination of such files.

It is a further object of the present invention to provide a tracking feature for devices capable of receiving and  
5 playing music files for providing performers and writers rights organizations with an accurate method of determining royalty right payments to registered performers and writers.

It is a further object of the present invention to develop a website for browsing and for delivery of sound and image files including clips.

It is a further object of the present invention to provide a method for selling and buying products associated with  
10 existing copyrighted music, movies, TV shows, and other recorded performances.

It is a further object of the present invention to provide a delivery method for allowing a user to access, browse and download files that is independent of the Internet, and does not require a plug in or hand wired connection.

These and other objects, advantages, and the industrial utility of the present invention will be apparent from a review of the accompanying specification and drawings.



---

**CLAIMS**

---

**WHAT IS CLAIMED IS:**

1. A method for delivering a sound or visual file from a central server or servers to an electronic  
2 device or devices for a user comprising:  
    compressing the file using a compression algorithm;  
4      storing the file in compressed format on a storage medium; and  
    transmitting the compressed file from said storage medium to the electronic device, wherein  
6      said compression algorithm comprising normalizing sample amplitudes in sound file, and said  
file playable back for the user with high quality reproduction and selectable by the user from the  
8      central server or servers to be retrieved by the electronic device with or without a worldwide network  
connection.
2. The method of Claim 1 further comprising storing the file on the electronic device.
3. The method of Claim 1 further comprising playing back the file on the electronic device.
4. The method of Claim 3 further comprising using the file as an alert message for the electronic  
2 device wherein the file is played to alert the user of the occurrence of a specific event.
5. The method of Claim 4 wherein the electronic device is a telephone, and wherein the file is a sound  
2 file played to alert the user of an incoming call.
6. The method of Claim 5 wherein a segment of the sound file is played to alert the user to the call.
7. The method of Claim 6 wherein said segment may be played repeatedly to alert the user to the call.
8. The method of Claim 5 wherein the user associates the sound file with a specific caller's phone  
2 number, wherein the sound file plays when specific caller calls.
9. The method of Claim 8 wherein a plurality of sound files are delivered and stored on said  
2 telephone, and wherein a user of said telephone may associate one specific sound file of said plurality of sound  
files with one specific caller from a plurality of callers.
10. The method of Claim 5 further comprising:  
2      said telephone being shared by a plurality of users, wherein a plurality of different sound files  
are delivered to and stored on said telephone, and wherein  
4      a specific sound file of said plurality of sound files is associated with a specific user of said

plurality of users, wherein said specific sound file alerts the user of an incoming call where said specific user is the intended recipient of said incoming call.

11. The method of Claim 1 wherein the electronic device is a cellular phone, home phone, computer, clock, watch, pager, door bell, car alarm, palm pilot, or personal calendar.

12. The method of Claim 1 wherein a plurality of sound files are delivered to and stored on the electronic device.

13. The method of Claim 1 wherein the electronic device includes an attachable accessory unit for receiving the sound files.

14. The method of Claim 1 wherein said transmitting step is wireless.

15. The method of Claim 1 wherein said transmitting step is through the Internet or other computer based system.

16. The method of Claim 1 wherein said transmitting step is independent of the Internet or other computer based system.

17. The method of Claim 1 wherein said sound file is a personal recording recorded by a user of the device.

18. The method of Claim 1 further comprising charging a fee to a user of the device, said fee being charged based on the number of clips received or their duration.

19. The method of Claim 1 wherein the file is a segment of a full song, musical composition, or other sound recording.

20. The method of Claim 19 further wherein a user of the device may transact the purchase of an item associated with said sound file upon hearing said sound file.

21. An electronic device comprising:

a recording method which can store a large number of clips, including sound clips, image clips, or a combination thereof, said clips capable of being actual recordings of live performances;

a receiver which receives the clips from a remote server; and

a player which can selectively play said clips, wherein

said clips can be playable as alerts for the electronic device upon the happening of a predetermined circumstances such as an incoming call or other event or circumstance and wherein a

8 user of the device may select a clip to play for alerting of the specified event.

22. The device of Claim 21, wherein the receiver is a wireless device which receives the clip by way of  
2 wireless communication.

23. The device of Claim 21, wherein the receiver has a hardwired connection to the internet for  
2 receiving the clips.

24. The device of Claim 21, wherein the receiver receives the clips by way of a standard hardwired  
2 telephone network without accessing the internet.

25. The device of Claim 21 wherein said clips are edited snippets from full files, and wherein the  
2 device is further capable of storing and playing full files including full sound files, full image files, or a  
combination thereof.

26. The device of Claim 23, wherein said full files can be used as said alerts.

27. The device of Claim 21, wherein said clips are taken from songs, musical compositions, cartoons,  
2 movies, television shows, personal recordings, or a combination thereof.

28. The device of Claim 21, the device being a cellular phone, home phone, computer, clock, watch,  
2 pager, door bell, car alarm, palm pilot, or personal calendar.

29. The device of Claim 28 wherein the device is a cellular phone using sound alerts.

30. The device of Claim 29 wherein said sound alerts are used to indicate an incoming call.

31. The device of Claim 30 wherein said sound alerts are further used to identify the caller or callee.

32. The device of Claim 31 wherein said sound alerts for identifying the caller may be selected by  
2 either the caller or callee.

33. The device of Claim 21 including a collection of sound clips, image clips, or a combination thereof  
2 stored on the device.

34. The device of Claim 21 further comprising an accessory unit attachable to the device, said  
2 accessory unit being capable of interfacing with said device and containing said media storage of said clips.

35. The device of Claim 34, wherein said accessory unit further contains a player which can play said

2 clips.

36. An electronic device comprising:

2 a medium storage drive to store a large number of sound files, image files, or a combination  
thereof, said files capable of being actual recordings of live performances; and  
4 a player which plays said files, wherein  
said files are used as alerts for the electronic device, and wherein a user of the device may  
6 select a file to play for alerting of a specified event.

37. A method of selling a sound file to a consumer comprising:

2 providing a telephone or other electronic device capable of playing sound recordings, said  
telephone being operated by the consumer;  
4 providing free sound clips to the consumer for playing on the device; and  
providing the consumer an option to purchase the sound file, the option to purchase the sound  
6 file selectable by using the telephone keypad, wherein the consumer may purchase the sound file  
through said means for purchasing the sound files, upon hearing a sound clip taken from the file.

38. A method of selling a sound file to a consumer comprising:

2 providing a telephone or electronic product capable of playing sound recordings, said product  
being operated by the consumer;  
4 providing free sound clips to the consumer for playing on the product;  
providing a virtual media storage containing said sound clips, wherein said consumer can  
6 browse said virtual media storage and select sound clips to be downloaded to said product;  
providing an option to purchase said sound file, using the product, or said virtual media storage,  
8 or a combination thereof.

39. The method of Claim 38, wherein said virtual media storage is accessible through the product, and  
2 wherein purchasing said sound file comprises the step of indicating an intent to purchase said file by pressing  
at least one key.

40. The method of Claim 38, wherein said virtual media storage is accessible through the Internet, and  
2 wherein purchasing said sound file comprises the step of computer interaction on a keyboard indicating intent  
to purchase said file by way of the internet.

41. The method of Claim 38, wherein said file is downloadable to the user's product in a file format  
2 which cannot be copied by third parties.

42. A method of selling a sound or image file, or a combination thereof comprising the steps of:

2 (a) Providing an electronic device;

- 4 (b) Reviewing categories of music or image files from a selection by way of a  
telecommunications network;
- 6 (c) Listening to truncated samples of the music or image files from the selection;
- (d) Selectively storing or downloading selected truncated samples of the music or image files  
free of charge;
- 8 (e) Receiving the truncated samples of the music or image files on a portable electronic device  
for subsequent personal use such as using a ring tone, alarm or other alert; and
- 10 (f) Subsequently purchasing the complete music or image file from those previously selected  
truncated music or image files by way of a telecommunications network.

43. The method of Claim 42, wherein the file is downloadable to the electronic device, or contained on  
2 a physical storage medium.

44. The method of Claim 43, said medium being a cassette tape, video tape, record, CD, or DVD.

45. A cellular phone comprising:  
2 a receiving element for receiving preselected sound clips, said clips having high quality  
reproduction of musical compositions; and  
4 a player to play said clips with the cellular phone;  
wherein said clips are playable as ring alerts for when the phone receives a telephone call.

46. The phone of Claim 45, wherein said receiving element comprises software integrated with existing  
2 hardware of the cellular phone.

47. The phone of Claim 45, wherein said player includes a software system integrated into existing  
2 hardware of the cellular phone.

48. The phone of claim 45, further comprising a media storage to store a plurality of said clips with said cellular  
2 phone.

49. A method of distributing music and audiovisual works to consumers while accounting to copyright  
2 owners of the works comprising the steps of :

4 (a) Making available on a website various selections of works in various categories for review  
by identifying information and offering a portion of the work for hearing or listening, each work being  
coded internally with identification to a copyright owner or its representative;

6 (b) Allowing consumers to select the viewable or listenable portion of the work for data storage  
online or for downloading to the consumers' electronic devices at home wherein the downloaded file  
being encrypted to only play on the consumer's electronic devices first receiving the download;

8 (c) Optionally tracking those consumers who received the download of the portion of the work

and reporting to the copyright owners or their representatives information concerning the download;

(d) Allowing a consumer to return to the website to purchase and download a complete copy of the copyrighted work previously sampled by the consumer;

(e) Conducting an online purchasing transaction and charging the consumer for the download;

(f) Downloading a complete copy of the copyrighted work to the consumer in an encrypted fashion so as to be playable only in the consumer's electronic device and not exchangeable with third parties;

(g) Tracking those consumers who received the download of the copyrighted work and reporting to the copyright owner of their representatives information concerning the download; and

(h) Paying the copyright owners or their representatives a portion of the money received from the consumers for their downloading of the copyrighted work.

**AMENDED CLAIMS**

[received by the International Bureau on 25 November 2002 (25.11.02):  
original claims 37, 38 and 42 amended; new claims 50-142 added;  
remaining claims unchanged (12 pages)]

2 clips.

36. An electronic device comprising:

2 a medium storage drive to store a large number of sound files, image files, or a combination  
thereof, said files capable of being actual recordings of live performances; and  
4 a player which plays said files, wherein  
said files are used as alerts for the electronic device, and wherein a user of the device may  
6 select a file to play for alerting of a specified event.

37. A method of selling a sound file to a consumer comprising:

2 providing a telephone or other electronic device capable of playing sound recordings, said  
telephone or other electronic device being operated by the consumer;  
4 providing free sound clips to the consumer for playing on the device; and  
providing the consumer an option to purchase the sound file, the option to purchase the sound  
6 file selectable by using the telephone keypad or said device, wherein the consumer may purchase the  
sound file through means for purchasing the sound file, upon hearing a sound clip taken from the file,  
8 and wherein said sound clip can be played by said telephone or other electronic device with high quality  
reproduction.

38. A method of selling a sound file to a consumer comprising:

2 providing a telephone or electronic product capable of playing sound recordings, said product  
being operated by the consumer;  
4 providing free sound clips to the consumer for playing on the product;  
providing a virtual media storage containing said sound clips, wherein said consumer can  
6 browse said virtual media storage and select sound clips to be downloaded to said product; and  
providing an option to purchase said sound file, using the product, or said virtual media  
8 storage, or a combination thereof, wherein said sound clip can be played by said telephone or electronic  
product with high quality reproduction.

39. The method of Claim 38, wherein said virtual media storage is accessible through the product, and  
2 wherein purchasing said sound file comprises the step of indicating an intent to purchase said file by pressing  
at least one key.

40. The method of Claim 38, wherein said virtual media storage is accessible through the Internet, and  
2 wherein purchasing said sound file comprises the step of computer interaction on a keyboard indicating intent  
to purchase said file by way of the internet.

41. The method of Claim 38, wherein said file is downloadable to the user's product in a file format  
2 which cannot be copied by third parties.

42. A method of selling a sound or image file, or a combination thereof comprising the steps of:

(a) Providing an electronic device;

(b) Reviewing categories of music or image files from a selection by way of a telecommunications network;

(c) Listening to truncated samples of the music or image files from the selection;

(d) Selectively storing or downloading selected truncated samples of the music or image files free of charge;

(e) Receiving the truncated samples of the music or image files on a portable electronic device for subsequent personal use such as using a ring tone, alarm or other alert, wherein said truncated samples can be played on said portable electronic device with high quality reproduction; and

(f) Subsequently purchasing the complete music or image file from those previously selected truncated music or image files by way of a telecommunications network.

43. The method of Claim 42, wherein the file is downloadable to the electronic device, or contained on a physical storage medium.

44. The method of Claim 43, said medium being a cassette tape, video tape, record, CD, or DVD.

45. A cellular phone comprising:

a receiving element for receiving preselected sound clips, said clips having high quality reproduction of musical compositions; and

a player to play said clips with the cellular phone;

wherein said clips are playable as ring alerts for when the phone receives a telephone call.

46. The phone of Claim 45, wherein said receiving element comprises software integrated with existing hardware of the cellular phone.

47. The phone of Claim 45, wherein said player includes a software system integrated into existing hardware of the cellular phone.

48. The phone of claim 45, further comprising a media storage to store a plurality of said clips with said cellular phone.

49. A method of distributing music and audiovisual works to consumers while accounting to copyright owners of the works comprising the steps of :

(a) Making available on a website various selections of works in various categories for review by identifying information and offering a portion of the work for hearing or listening, each work being coded internally with identification to a copyright owner or its representative;

(b) Allowing consumers to select the viewable or listenable portion of the work for data storage



online or for downloading to the consumers' electronic devices at home wherein the downloaded file  
being encrypted to only play on the consumer's electronic devices first receiving the download;

(c) Optionally tracking those consumers who received the download of the portion of the work  
and reporting to the copyright owners or their representatives information concerning the download;

(d) Allowing a consumer to return to the website to purchase and download a complete copy of  
the copyrighted work previously sampled by the consumer;

(e) Conducting an online purchasing transaction and charging the consumer for the download;

(f) Downloading a complete copy of the copyrighted work to the consumer in an encrypted  
fashion so as to be playable only in the consumer's electronic device and not exchangeable with third  
parties;

(g) Tracking those consumers who received the download of the copyrighted work and  
reporting to the copyright owner of their representatives information concerning the download; and

(h) Paying the copyright owners or their representatives a portion of the money received from  
the consumers for their downloading of the copyrighted work.

50. A method for the playback of sound files comprising:

providing an electronic device having a speaker; and

utilizing a delivery method algorithm, a parametric optimization and compression algorithm, an  
error correction algorithm, or a combination thereof, for playing the sound files on said device,  
wherein

said delivery method algorithm uses an orthogonal frequency-division multiplex  
modulation scheme to transmit data relating to the sound file for playback on said electronic device,

said parametric optimization and compression algorithm uses specific parameters for  
compressing said data, and

said error correction algorithm is used for said data transmitting over the voice channel of  
a telephony network, wherein said error correction algorithm comprises splitting said data into  
smaller data blocks, and using an error detection code to detect possible error in each of said  
smaller data blocks.

51. The method of Claim 50 further comprising downloading firmware to a memory element  
associated with the device, said firmware comprising said delivery method algorithm, said parametric  
optimization and compression algorithm, said error correction algorithm, or a combination thereof.

52. The method of Claim 51 wherein said device is a digital or analogue cellular telephone having a  
built in memory element to which said firmware is downloaded.

53. The method of Claim 51 wherein said device includes an accessory unit which directly attached  
to said device wherein said memory element, speaker, or both are located in said accessory unit.

54. The method of Claim 50, further comprising storing the sound files on the device or on a unit associated with the device.
55. The method of Claim 50 wherein said device is capable of receiving said files in a compressed format and playing back said files.
- 5 56. The method of Claim 50 wherein said sound files are stored on a memory element of said device in a compressed format.
57. The method of Claim 50, further comprising providing a holding system containing said sound files, said holding system being accessible by the device for downloading user selected sound files to the device or to a unit associated with the device, said holding system being either Internet based or non-Internet based.
- 10 58. The method of Claim 57 wherein said holding system is non-Internet based and accessible via a telephone dial in connection.
59. The method of Claim 57 wherein a user of said device can interact with the holding system to select a sound file to be downloaded to said device via voice commands, phone keypad commands or other control button commands, or a combination thereof.
- 15 60. The method of Claim 50, wherein said sound files comprise unedited sound recordings, truncated samples of unedited sound recordings, or both.
61. The method of Claim 50 further comprising providing means for preventing sound files from being copied or transferred among multiple electronic devices.
- 20 62. The method of Claim 61, said means for preventing sound files from being copied or transferred comprising encoding said device with scrambling/ unscrambling wave capabilities, said scrambling/ unscrambling wave capabilities being unique to said device, such that when a sound file is delivered to said device, a unique scrambling wave is encoded in said file, and when said file is played back, a corresponding unique unscrambling wave is sent, such that the file can be played back with clarity.
- 25 63. The method of Claim 50, further comprising means for preventing sound files from being transferred among multiple electronic devices which are owned by different users.
64. The method of Claim 50, further comprising providing means for tracking information regarding the use and delivery of sound files by a user of said device.
65. The method of Claim 64, further comprising recording information related to the use and delivery of sound files by a multiple number of users.
- 30

66. The method of Claim 64, said information including the user's identity and identity of a sound file played by said user.
67. The method of Claim 64, further comprising using said information to determine royalty payments to parties having copyright ownership in said files for a public performance of the files.
68. The method of Claim 67 wherein said parties are registered with a performing rights organization who makes said royalty payments to said parties.
69. The method of Claim 50 wherein said sound files are used as alerts by the device to indicate the occurrence of a specific event.
70. The method of Claim 69 wherein a user of the device can program the device to play a specific sound file or files to indicate said event.
71. The method of Claim 70, wherein said user can select the order and manner in which said specific sound file or files are played to indicate said event.
72. The method of Claim 69 wherein a user of the device can store a multiple number of sound files on said device in a specific order selected by said user.
73. The method of Claim 69 wherein said device is a telephone, and wherein said sound files are used to alert of an incoming telephone call.
74. The method of Claim 73 wherein a specific sound file or files are associated with a specific caller, such that said specific sound file or files are sounded to indicate to a user of said device that said specific caller is calling.
75. The method of Claim 73 wherein a caller of said incoming call may select a specific sound file or files to alert of said call.
76. The method of Claim 73 wherein said sound files used to alert of an incoming telephone call may be personal recordings made by a user of said telephone or by a caller of said incoming call.
77. The method of Claim 73 wherein said telephone is shared by multiple users, and wherein a specific sound file or files are associated with a specific one of said multiple users, such that said specific sound file or files are played to indicate of an incoming call for said specific one of said multiple users.
78. The method of Claim 50 wherein said sound files may be played on said device at an adjustable

volume.

79. The method of Claim 50, further comprising allowing a user to download a sound file to the device upon playing a truncated version of said sound file on said device.

80. The method of Claim 50, further comprising charging the user a fee for downloading said sound file to the device.

81. The method of Claim 50 wherein said sound file is an advertising message played on the device.

82. The method of Claim 81 wherein said advertising message is played.

83. The method of Claim 50 wherein said device further comprises a display screen for displaying an image file.

84. The method of Claim 50 wherein said sound files may be transferred among multiple electronic devices.

85. The method of claim 84 wherein said multiple electronic devices are owned by a single user.

86. The method of Claim 50 wherein said device is a telephone having a wireless or land line service provider.

87. The method of Claim 50 wherein a large number of files are capable of being stored on a memory element of said device.

88. The method of Claim 50 further comprising providing a server for enabling a user to download selected sound files to the device through user's requests to said server.

89. The method of Claim 88 further comprising storing a large number of sound files on a database associated with said server, said server utilizing said compression algorithm for converting common sound files into compressed files for downloading said compressed files onto said memory element associated with said device.

90. The method of Claim 88 wherein a single server is capable of interacting with a variety of different networks, telephones, or other electronic device, or a combination thereof.

91. The method of Claim 50 wherein said delivery method algorithm is used for transferring data through a phone line and receiver, based on a voice mode connection and DTMF signal interpretation.

92. The method of Claim 50 wherein said delivery method algorithm for transmitting said data comprises the steps of scrambling said data, mapping said data, converting frequency symbols of said data into time samples, adding a cyclic prefix to said data, converting said data from digital to analogue form, converting said data from analogue to digital form, or a combination thereof.
93. The method of Claim 92 wherein said delivery method algorithm further comprises the steps of unscrambling said data after scrambling said data, decoding said frequency symbols to bits, converting said time samples to frequency symbols, synchronizing said symbols, or a combination thereof.
94. The method of Claim 50 wherein said delivery method algorithm allows simultaneous use of voice communication and data transmission features during a single user connection session to a server holding collection of said sound files without requiring a user to switch the mode of connection.
95. The method of Claim 94, wherein a user can access said server via a telephone dial in connection without the need to use a wireless internet service providers.
96. The method of Claim 50, wherein said error correction algorithm is used and wherein said error detection code is a cyclic redundancy code.
97. The method of Claim 50, wherein said error correction algorithm is used and wherein said transmission of said data through said network is unidirectional or bi-directional.
98. The method of Claim 50, wherein said parametric optimization and compression algorithm comprises the steps of:
- normalization of sample amplitudes of said data;
  - conversion of sample rate of said data to selected sampling frequency;
  - pre-emphasis filtering; and
  - compression of said data with selected parameters.
99. The method of Claim 98 wherein said pre-emphasis filtering uses a finite impulse response filter.
100. The method of Claim 50 wherein said sound file can be received by the device in either mono or stereo form, and wherein said sound file can be played back by the device in either mono or stereo form.
101. A method for data transmission over a voice channel of a telephone using an orthogonal frequency-division multiplex modulation scheme and comprising scrambling said data, mapping said data, converting frequency, symbols of said data into time samples, adding a cyclic prefix to said data, converting said data from digital to analogue form, or a combination thereof.

102. The method of Claim 101, further comprising using an error correction algorithm, said error correction algorithm comprising splitting said data into smaller data blocks, and using an error detection code to detect possible error in each of said smaller data blocks.
103. The method of Claim 101, further comprising using a parametric optimization and compression algorithm for compressing said data, said parametric optimization and compression algorithm using specific parameters for compressing said data.
104. A method of preventing or limiting distribution of a copyrighted sound or image file by purchasers of the file comprising:  
providing a device capable of receiving and playing back the file, said device being capable of encoding the file with a scrambling wave, said scrambling wave being unique to said device;  
encoding the file with said scrambling wave once the file is received by said device; and  
playing the file on said device while sending an unscrambling wave to counter said scrambling wave, such that the file can be played with clarity.
105. The method of Claim 104 wherein said device is a telephone, and wherein said scrambling and unscrambling waves are functions of the telephone number.
106. The method of Claim 104 wherein the file is transmitted to a user of said device for a fee.
107. A method of collecting information regarding the public performance of copyrighted media content comprising:  
providing a device capable of receiving and playing back a media file containing said copyrighted media content;  
providing a tracking feature on said device for tracking information relating to the number of times a particular media file is played; and  
providing a central unit capable of transacting the sale of sound files which can only be played on said device,  
wherein said information is related to the ownership and performance of a number of media files is compiled by said tracking feature.
108. A method of determining royalty distribution to be paid out to owners of copyrighted content for the public performance of said copyrighted content comprising:  
providing files containing said copyrighted content;  
providing a device for playing said files, said device including a tracking feature for recording information regarding the identity of the copyrighted content being played;  
collecting said information and providing said information to a performing rights organization;  
and

using said information by said organization to determine distribution of royalty payments to said parties.

109. The method of Claim 108 wherein said information includes the identity of a copyrighted work being played, and the number of times the work is played over a specified period.

110. The method of Claim 108, further comprising preventing distribution of said files among different purchasers of said files.

111. A website for selling media items comprising:

a list of media samples taken from said media items, said samples being downloadable to a consumer owned electronic device to be played by the device as alerts, and comprising sound, image, or both; and

means for enabling a consumer to purchase the media items associated with said samples, said media items including files comprising sound, images, or a combination thereof, which are downloadable to said device, or records, cassette tapes, CDs, DVDs, or video tapes containing said files, or a combination thereof,

said sound being reproducible by said device at a quality comparable to the quality of sound as heard on an original sound track from which the sample was taken.

112. The website of Claim 111, further comprising a storage unit for allowing said consumer to store a number of said samples which are selected for storage by said consumer.

113. The website of Claim 111, wherein said consumer can further upload consumer recorded files, and store said files on said storage unit for later downloading to said electronic device.

114. The website of Claim 111, wherein said electronic device is a telephone, and said samples are used as ring sounds.

115. The website of Claim 111 wherein said electronic device is a computer, and wherein said samples are used as computer alerts.

116. The website of Claim 111 wherein said consumer may drag his mouse over various listed items which flash and play one at a time.

117. The website of Claim 111 wherein said items are listed in specific categories, such that when said user places his mouse over a specific category, an item from that category automatically plays, and information relating to the identity of said item is displayed.

118. The website of Claim 111 wherein said consumer is charged a fee for accessing the website, downloading said samples, or both.
119. The website of Claim 111 wherein said samples are available for consumer downloading for free.
120. The website of Claim 111 wherein said consumer can indicate an intent to purchase an item  
5 directly upon the item being played on said electronic device or on the website.
121. The website of Claim 111, wherein the website is associated with a consumer contest, wherein said consumer is required to interact with the website in order to participate in said contest.
122. A method of doing business based on providing sound or image clips to consumers, comprising:  
providing the consumer with an electronic device capable of using sound clips, image clips, or a  
10 combination thereof as alerts for said device, said sound clips capable of being stored on the device and played on the device with a quality comparable to the quality of sound as heard on an original sound track from which the clip was taken; and  
providing a holding unit having a large number of said sound clips, image clips, or a  
combination thereof, said holding unit being accessible by said consumer for interacting with  
15 said holding unit and optionally downloading said clips onto said electronic device.
123. The method of Claim 122 further comprising charging the consumer a fee for accessing said holding unit, downloading clips from said holding unit, or both.
124. The method of Claim 122 wherein said holding unit is accessible via a phone connection.
125. The method of Claim 122 wherein said consumer is may optionally browse through said clips,  
20 and select clips to download.
126. The method of Claim 122 wherein said fee is based on the amount of time said consumer interacts with said holding unit.
127. The method of Claim 122 wherein said consumer is charged a fixed fee for accessing the holding unit.  
25
128. The method of Claim 122 wherein said fee is based on the number of clips downloaded.  
25
129. The method of Claim 122 wherein said device is provided with pre-embedded clips such that the consumer can use said clips as alerts without having to download clips form said holding unit.
130. The method of Claim 122 wherein said device is a cellular or landline telephone.





131. The method of Claim 122 wherein said holding unit is a website.
132. The method of Claim 122 wherein said holding unit is accessible using the device itself.
133. The method of Claim 122 wherein said holding unit is non-Internet based.
134. The method of Claim 122 further comprising selling items associated with said clips, said items  
5 including files comprising sound, images, or a combination thereof, which are downloadable to said device, or  
records, cassette tapes, CDs, DVDs, or video tapes containing said files, or a combination thereof.
135. The method of Claim 134 wherein said clips are offered to the consumer for free.
136. The method of Claim 134 wherein said clips are offered to the consumer via a telephone service  
provider.
- 10 137. The method of Claim 136 wherein said service provider charges the consumer a fee for  
10 participating in a service offering said clips.
138. A chip which can be incorporated into an electronic device, the chip comprising:  
means for enabling the device to play back sound files using a delivery method algorithm, a  
parametric optimization and compression algorithm, or both, wherein  
15 said delivery method algorithm uses an orthogonal frequency-division multiplex  
modulation scheme to transmit data relating to the sound file for playback on said electronic device,  
and wherein  
said parametric optimization and compression algorithm uses specific parameters for  
compressing said data.
- 20 139. An electronic device comprising:  
20 means for playing sound files on the device as alert means, said means for playing said sound  
files comprising playing said files on the device such that the quality of the sound played is  
comparable to the quality of sound from an original sound track for playing said sound, and  
parametric optimization and compression means for storing said sound files on the device in a  
25 compressed format.
140. The device of Claim 139, the device being a cellular phone, home phone, computer, clock,  
watch, pager, door bell, car alarm, palm pilot, or personal calendar.
141. The device of Claim 139, wherein the device comprises a plurality of said sound files stored on the  
device, said files being stored on the device by a non-consumer entity prior to consumer purchase of the

device.

142. The device of Claim 139, wherein the device comprises means for enabling a consumer to select and store specific sound files on the device.

5






FIG. 3




FIG. 4

3/16




FIG. 5




FIG. 6-A




FIG. 6-B




FIG. 6-C



7/16





FIG. 6-D

8/16

FIG. 7



9/16






FIG. 8

10/16



11/16

FIG. 11





FIG. 12

12/16




FIG. 13

13/16




FIG. 14

14/16




FIG. 15






FIG. 16




FIG. 17

16/16




FIG. 18

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/20443

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 15/16

US CL : 709/231

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 84/609; 379/372; 709/217, 218, 219, 231, 246, 247

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
Please See Continuation Sheet

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, P	US 2002/0010740 A1 (KIKUCHI et al.) 24 January 2002 (24.01.2002), abstract, paragraphs 81 - 88, 92 - 110	1-49
A	US 5,732,216 A (LOGAN et al.) 24 March 1998 (24.03.1998), abstract, column 4, lines 4-58	1-49
A, P	US 2002/0026867 A1 (HASEGAWA et al.) 07 March 2002 (07.03.2002), abstract, paragraphs 56-62	1-49
A, E	US 2002/0106074 A1 (ELLIOT) 08 August 2002 (08.08.2002), abstract, paragraphs 1, 32-36, 64-67	1-49

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"B" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

04 September 2002 (04.09.2002)

Date of mailing of the international search report

25 SEP 2002

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Patrice L. Windel

Telephone No. 703-305-3900

**INTERNATIONAL SEARCH REPORT**

PCT/US02/20443

**Continuation of B. FIELDS SEARCHED Item 3:**

BRS (using EAST)

search terms: telephone, phone, wireless, music, song, ringing